Discover the beauty and functionality of Royal Botania Lighting. Our harmonious designs come in a variety of styles and are made from high-quality materials with cutting-edge technology. Enhance the appearance of your property and create a dynamic display with outdoor lighting that not only transforms its appearance at night, but also adds security to your driveways and entrance paths.

### **AVAILABILITY OF PRODUCTS**

PLEASE NOTE THAT SOME PRODUCT REFERENCES ARE MARKED WITH AN ASTERISK (\*), INDICATING THAT THEY ARE ONLY AVAILABLE WHILE SUPPLIES LAST. IF YOU WOULD LIKE MORE INFORMATION OR TO CHECK ON CURRENT STOCK, PLEASE CONTACT US.

#### LEGEND


IP43 PROTECTED AGAINST OBJECTS > 1MM & PROTECTED AGAINST WATER SPRAYED AT MAX. ANGLE 60° IP44 PROTECTED AGAINST OBJECTS > 1MM & WATER PROJECTIONS FROM ALL DIRECTIONS (360°) IP55 PROTECTED AGAINST DUST & AGAINST WATER SPRAYED FROM ALL DIRECTIONS (360°) IP65 TOTALLY SEALED AGAINST DUST & AGAINST WATER SPRAYED FROM ALL DIRECTIONS (360°) IP68 TOTALLY SEALED AGAINST DUST & PROTECTED AGAINST PERMANENT IMMERSION

Protective category 1
Protective category 2
Protective category 3

4	BEACON	50	MOSO WALL
6	BEACON WALL	52	OMEGA WALL
8	BEAMY	54	PARKER
10	BEAMY WALL	56	PARKER WALL
14	BULLET	58	Q-BIC
16	CLOCHE WALL	60	Q-BIC WALL
20	CLUB LOUNGE	64	ROPY
22	DOME CEILING	66	ROPY TABLE
26	DOME FLOOR	70	RUSTY
28	DOME GATE	72	SEPTEM
30	DOME MOVE	74	SPIKY
34	DOME SMALL	76	SPOTTY
36	DOME WALL	80	TESLA CEILING
38	DOME GLASS VARIETIES	82	TESLA WALL
40	FUNGY	86	TRISTAR
44	LUNIZ	90	ACCESSORIES
48	MEDUZ	91	MATERIALS

## **BEACON**








#### (€ 4 🛭

REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT IP	EEC	
BCN140B	BLACK	LED	2,2 W	2700	390	100-240V 65	С	<b></b>
BCN140W	WHITE	LED	2,2 W	2700	390	100-240V 65	С	<b>(</b>

INCLUDES 250mA DRIVER


**INSTALLATION OPTION: JUB5625** 

4



## **BEACON WALL**








#### (€ 4 🖁


REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT IP	EEC	
BCNWB	BLACK	LED	2.2 W	2700	390	100-240V 65	С	<u></u>
BCNWW	WHITE	LED	2,2 W	2700	390	100-240V 65	С	<u> </u>

**INCLUDES 250mA DRIVER** 



### **BEAMY**










REFERENCE	DES	CRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
BMY100230AZ		ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u></u>
BMY100230AB		ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<b></b>
BMY100230WB		WEATHERED BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<b>(1)</b>
BMY100230A		ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u></u>
BMY100230WR		WHITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<b>(a)</b>


**INSTALLATION OPTION: JUB5625** 



### **BEAMY WALL**







#### (€ 4 🖺

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
BMYW230AZ	ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u></u>
BMYW230AB	ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<del>- (</del>
BMYW230WB	WEATHERED BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<b>(</b>
BMYW230A	ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u></u>
BMYW230WR	WHITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u> </u>











ANTIQUE ZINC

ANTIQUE BRASS

WEATHERED BRASS

ANTHRACITE COATED

WHITE COATED








# **BULLET**








ANTIQUE ZINC

### (€ 4 🛭


REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	INPUT	IP	EEC	
-							
BLTG230AB	40 CM - ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	⊕_
BLTG230AZ	40 CM - ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<b>(</b>
BLT230AB	110 CM - ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<b>(</b>
BLT230AZ	110 CM - ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<b>(a)</b>

INFO: ADJUSTABLE HEAD



# **CLOCHE WALL**







#### (€ 4 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
CLOW	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	44	A-G	<u> </u>








## **CLUB LOUNGE**







#### (€ 4 🛭

REFERENCE	DESCRIPTION IN		INTEGRATED LIGHT	WATT	K	LM	INPUT IF	)	EEC	
CLBLTR		TRANSPARENT SHADE	LED	4,3 W	2700	700	100-240V 6	5 I	D D	<u></u>
CLBLAM		AMBER SHADE	LED	4,3 W	2700	700	100-240V 6	5 I	D	<b>(</b>


CORD LENGTH: 4 METER

POWER SUPPLY: 500MA DRIVER INCLUDED



## **DOME CEILING**







#### (€ 4 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMECSBCL	49-84 CM - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<b>(</b>
DOMECSBSM	49-84 CM - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<b>(</b>
DOMECLBCL	74-134 CM - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<b>(</b>
DOMECLBSM	74-134 CM - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<b>(a)</b>









## **DOME FLOOR**










REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMEFBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMEFBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(1)

CORD LENGTH: 5 METER


INSTALLATION OPTION: JUB5625



DOME FLOOR WITH CLEAR GLASS

## **DOME GATE**










REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMEGTBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMEGTBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(1)




DOME GATE WITH CLEAR GLASS

## **DOME MOVE**








#### (€ 🐴 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMEMBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMEMBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(1)

CORD LENGTH: 5 METER

OPTIONAL GALVANIZED STEEL BALLAST: 03DOMEMBALLAST01








## **DOME SMALL**










REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMESBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMESBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<b>(</b>


CORD LENGTH: 4 METER



# **DOME WALL**









REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMEWBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMEWBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(1)



DOME WALL WITH CLEAR GLASS

### **DOME GLASS VARIETIES**


#### FLOOR / WALL



#### REFERENCE

<u> </u>	
03DOMG01B	CLEAR MOUTHBLOWN GLASS
03DOMG01SMB	SMOKE MOUTHBLOWN GLASS

#### MOVE / SMALL / GATE / CEILING




#### REFERENCE

03DOMG02B	CLEAR MOUTHBLOWN GLASS
03DOMG02SMB	SMOKE MOUTHBLOWN GLASS



# **FUNGY**







### (€ 4 🛭

REFERENCE	DESCRIPTION	SCRIPTION LIGHTBULB SOCKET		INPUT	IP EEC	
FGY50RI	RUSTY IRON	G9 - (LED NOT INCLUDED)	MAX 5 W	2701/	55 A-G	
FGY50WB	WEATHERED BRASS	G9 - (LED NOT INCLUDED)	MAX 5 W		55 A-G 55 A-G	<del></del>

**INSTALLATION OPTION: JUB5625** 








### **LUNIZ**







CERAMIC

BS CD CL NM PG TM TG TR TS WUM ZUM

LAMP SHADE OPTION: POLYOLEFIN ROPE: BRONZE/GREEN/DESERT

BR G D

LAMP SHADE OPTION: 70+ FABRICS



#### (€ 🐴 🖁

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
LNZSMLA	ANTHRACITE	3x E27 - DECORATIVE LEDS INCLUDED	MAX 15W	230V	44	A-G	<b></b>
LNZSMLPB	PEBBLE	3x E27 - DECORATIVE LEDS INCLUDED	MAX 15W	230V	44	A-G	<b></b>

LNZBASE70CERAM...(BS/CD/CL/NM/PG/TM/TG/TR/TS/WUM/ZUM)

LNZSHADEF40WR... (SEE FABRICS)
LNZSHADEF50WR... (SEE FABRICS)
LNZSHADEF60WR... (SEE FABRICS)

LNZSHADER40A... (BR/G/D) LNZSHADER50A... (BR/G/D) LNZSHADER60A... (BR/G/D)

CORD LENGTH: 5M







DOME MOVE & SMALL WITH CLEAR GLASS

## **MEDUZ**






POWDER COATED ALUMINIUM: ANTHRACITE/PEBBLE

MOUTHBLOWN GLASS: SMOKE

### (€ 🐴 🖁


REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
MDZ150ASM	ANTHRACITE - SMOKE	E27 - DECORATIVE LED INCL	UDED 4 W	2200	280	230V	43	A-G	<u></u>
MDZ150PBSM	PEBBLE - SMOKE	E27 - DECORATIVE LED INCL	UDED 4 W	2200	280	230V	43	A-G	<u>(†</u>

CORD LENGTH: 5M



## **MOSO WALL**





PORCELAIN: WHITE/BLACK/NIGHT BLUE



REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	, and the second
MSOWUW*	UP - WHITE	LED	3 W	2700	450	230V	65	D	⊕
MSOWUB*	UP - BLACK	LED	3 W	2700	450	230V	65	D	<b>(</b>
MSOWUNB*	UP - NIGHT BLUE	LED	3 W	2700	450	230V	65	D	<b>(1)</b>
MSOWDW*	DOWN - WHITE	LED	3 W	2700	450	230V	65	D	<b></b>
MSOWDB*	DOWN - BLACK	LED	3 W	2700	450	230V	65	D	<u> </u>
MSOWDNB*	DOWN - NIGHT BLUE	LED	3 W	2700	450	230V	65	D	<u> </u>

POWER SUPPLY: 350MA DRIVER INCLUDED



## **OMEGA WALL**










8 CM







### (€ 4 🛭


REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
OMG1D220EP	1 SPOT	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u></u>
OMG2D220EP	2 SPOTS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<b>(a)</b>



OMEGA WALL 2 SPOTS

### **PARKER FLOOD & PATH**








### (€ 4 🖺

REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
	)	1.50			700	100 010			
PRKF	WITH BASE	LED	4 W	2700	700	100-240V	65	C	+
PRKP	WITH SPIKE	LED	4 W	2700	700	100-240V	65	С	(1)
		LIGHTBULB SOCKET							
PRKF230	WITH BASE	GU10 (LED NOT INCLUDED)	MAX 5 \	N		230V	55	A-G	<b></b>

CORD LENGTH: 5 METER LED INCLUDES 500mA DRIVER

PRKF: INCLUDES 40 CM GRANITE BASE

PRKP: INCLUDES SPIKE



## **PARKER WALL**










REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
PRKW	ANTIQUE BRASS	LED	3 W	2700	450	100-240\	<sup>7</sup> 65	D	<b>(-)</b>
		LIGHTBULB SOCKET							
PRKW230	ANTIOLIE DDASS	GU10 (LED NOT INCLUDED)	MAX 5 V	٨/		230V	55	A-G	<b>(</b>

LED INCLUDES 350mA DRIVER



## Q-BIC







(€ 4 🖺


REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
QB301D220EP	30 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<b>(</b>
QB302D220EP	30 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u> </u>
QB601D220EP	60 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u> </u>
QB602D220EP	60 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u></u>
QBG1D220EP	10 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u> </u>
QBG2D220EP	10 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u> </u>
QB301D230A	30 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<b>(</b>
QB302D230A	30 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u> </u>
QB601D230A	60 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u></u>
QB602D230A	60 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u> </u>
QBG1D230A	10 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<b></b>
QBG2D230A	10 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(1)

ADJUSTABLE ANGLE 270° INSTALLATION OPTION: JUB6525



Q-BIC 30 CM1 SPOT ANTHRACITE 59

### **Q-BIC WALL**




### (€ 4 🖺

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
-							
QBW1D220EP	1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QBW2D220EP	2 SPOTS - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u> </u>
QBWVD220EP	1 SPOT 270° - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<b>(a)</b>
QBWVD230A	1 SPOT 270° - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<b>(</b>

QBWVD220EP: ADJUSTABLE ANGLE 270° - GROUND MOUNTING IS ALSO POSSIBLE QBWVD230A: ADJUSTABLE ANGLE 270° - GROUND MOUNTING IS ALSO POSSIBLE








## **ROPY**










REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	WATT K LM INPUT IP		WATT K		IP	EEC	
RPY040AB	BRONZE	SOLAR LED	3,2 W	2700	400	230V	54	Α	<b>(iii)</b>	
RPY040GG	GREEN	SOLAR LED	3,2 W	2700	400	230V	54	Α	<b></b>	
RPY040PBD	DESERT	SOLAR LED	3,2 W	2700	400	230V	54	Α	<b>(iii)</b>	



## **ROPY TABLE**







POWDER COATED ALUMINIUM: ANTHRACITE/GREEN/PEBBLE



POLYOLEFIN ROPE: BRONZE/GREEN/DESERT





REFERENCE	DESCRIPT	ON INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
RPYTBAB	BRO	NZE SOLAR LED	1,2 W	2700	150	230V	54	Α	<b>(ii)</b>
RPYTBGG	GREI	N SOLAR LED	1,2 W	2700	150	230V	54	А	<u></u>
RPYTBPBD	DES	ERT SOLAR LED	1,2 W	2700	150	230V	54	А	<b>(1)</b>








# **RUSTY**







### (€ 4 🛭


REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
RUS40	40 CM	E27 - LED / FLUO (NOT INCLUDED)	MAX 11 W			55	A-G		
RUS70	70 CM	E27 - LED / FLUO (NOT INCLUDED)	MAX 11 W				55	A-G	
		INTEGRATED LIGHT							
RUS40L	40 CM	LED	9 W	3000	470	230V	55	G	<b>(</b>
RUS70L	70 CM	LED	9 W	3000	470	230V	55		<u> </u>

LED INCLUDES 250mA DRIVER
INSTALLATION OPTION: JUB5625



# **SEPTEM**








REFERENCE	INTEGRATED LIGHT	WATT	K	LM	INPUT IP	EEC	
SEP070W	LED	3 W	2700	450	100-240V 65	С	<b>(</b>

ADJUSTABLE SPOT 10°
INCLUDES 350mA DRIVER



# **SPIKY**





ANTIQUE BRASS



REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
SPKG	40 CM	LED	3 W	2700	450	230V	65	Α	
SPK	100 CM	LED	3 W	2700	450	230V	65	Α	<u></u>


REQUIRED: LEDCONKIT OR DRI1



SPIKY 40 CM

# **SPOTTY**









### (€ 4 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
SPT230L040WB	40 CM	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	65	A-G	(#)
SPT230L110WB	110 CM	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	65	A-G	<b>(1)</b>









SPOTTY 40 CM

# **TESLA CEILING**










REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
TSLCA	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	-
TSLCASM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(1)



TESLA CEILING WITH CLEAR GLASS

# **TESLA WALL**





REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
TCLVA/A	CLEAD	E27 - DECORATIVE LED INCLUDED	4.14/	2200	200	2701/	47	Λ. C	
TSLWA	CLEAR		4 W	2200	280	230V	43	A-G	_
TSLWASM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u> </u>








# **TRISTAR**







### (€ 4 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
TRSO45CL	45 CM - TEAK - CLEA	AR E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	<b>+</b>
TRS045CL TRS045SM	45 CM - TEAK - SMO			2200	280	230V	43	A-G	<b>+</b>
TRS050CL	50 CM - TEAK - CLE	AR E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(1)
TRS050SM	50 CM - TEAK - SMO	KE E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(1)
TRS045ACL	45 CM - ANTHRACITE - C	LEAR E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	<b>(</b>
TRS045WRCL	45 CM - WHITE - CLEAR	R E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	<b>(</b>
TRS045ASM	45 CM - ANTHRACITE - SI	10KE E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	<b>(</b>
TRS045WRSM	45 CM - WHITE - SMOKE	E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(1)
TRS050ACL	50 CM - ANTHRACITE - CI	EAR E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	<b>(</b>
TRS050WRCL	50 CM - WHITE - CLEAR	E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	<b>(</b>
TRS050ASM	50 CM - ANTHRACITE - SM	OKE E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	<b>(</b>
TRS050WRSM	50 CM - WHITE - SMOKE	E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	<b>(</b>







## **ACCESSORIES**

LTLED04WE27	LED FILAMENT BULB 4W - 220V/E27 - 2200K - 280Im	€ .	Α	
OPTIONAL BULE	FOR TESLA / CLOCHE WALL / LUNIZ / MEDUZ / TRISTAR / DOME COLLECTION			
JUB5630	JUNCTION BOX IP68 - 2X1,5 mm <sup>2</sup>	C€		IP68
JUB5625	CONNECTION BOX IP68 - 3X4 mm <sup>2</sup>	C€		IP68
DRI1	IP68 LED DRIVER 100-220V 50-60HZ - 350mA - 9W	C€		IP68
LEDCONKIT	= DRI1 + JUB5625 + JUB5630			
BINLG9	G9 LAMP HOLDER - 230V/G9 - LED ONLY MAX 5W	C€		IP55
BIN2	E27 LAMP HOLDER - 220V/E27 - LED FLUO MAX 11W	C€		IP55
BINLS	LED INSERT FOR NEW OR REPLACEMENT FIXTURES (LED 8,5W - 470lm - 3000K - 230V / 50Hz)	CE	<b>\( \begin{array}{c} \\ \express{2} </b>	IP55
BL180	PERFORATED SCREEN 180° - STAINLESS STEEL			
BL360	PERFORATED SCREEN 360° - STAINLESS STEEL			
LBR	GALVANISED STEEL SPIKE: RUSTY			
LBDM	GALVANISED STEEL SPIKE: DOME MOVE			
LBD	GALVANISED STEEL SPIKE: DOME FLOOR			
LBQ	STAINLESS STEEL SPIKE: Q-BIC GROUND / Q-BIC WALL			
LBN	STAINLESS STEEL SPIKE: Q-BIC 30/60 / SEPTEM			
LBF	STAINLESS STEEL SPIKE: FUNGY			

### **MATERIALS**

#### **TEAK**

ROYAL BOTANIA USES CAREFULLY SELECTED, FULLY GROWN TEAK IN ITS PRODUCTS. THE WOOD COMES FROM THE TECTONA GRANDIS TREE AND IS HARVESTED IN ACCORDANCE WITH ENVIRONMENTAL STANDARDS. TEAK IS DURABLE BECAUSE IT CONTAINS HIGH LEVELS OF NATURAL OILS, WHICH PREVENT MOISTURE ABSORPTION AND WARPING. IT IS ALSO RESISTANT TO CHEMICALS AND VERMIN. THESE QUALITIES MAKE TEAK THE MOST PREMIUM WOOD ON FARTH.

TEAK



#### **ELECTROPOLISHED STAINLESS STEEL**

ELECTROPOLISHED STAINLESS STEEL FROM ROYAL BOTANIA IS HIGHLY RESISTANT TO CORROSION. THIS IS BECAUSE THE ELECTROPOLISHING PROCESS REMOVES IMPURITIES AND DEFECTS FROM THE SURFACE OF THE STEEL, CREATING A SMOOTH AND UNIFORM SURFACE THAT IS RESISTANT TO CORROSION. THE PROCESS ALSO INCREASES THE THICKNESS OF THE PROTECTIVE CHROMIUM OXIDE LAYER ON THE STEEL'S SURFACE. THE STEEL IS ALSO MORE DURABLE AND LESS LIKELY TO CRACK OR WARP BECAUSE THE ELECTROPOLISHING PROCESS REMOVES ANY RESIDUAL STRESS IN THE STEEL. THIS MAKES IT AN OPTIMAL CHOICE FOR USE IN OUTDOOR ENVIRONMENTS. THE ELECTROPOLISHING PROCESS CREATES A HIGHLY CORROSION-RESISTANT STAINLESS STEEL THAT IS DURABLE AND LONG-LASTING.

ELECTROPOLISHED STAINLESS STEEL

REF: EP



#### **POWDER COATED ALUMINIUM**

OUR POWDER COATED ALUMINUM IS PERFECT FOR OUTDOOR LIGHTING BECAUSE IT IS STRONG, LIGHTWEIGHT, AND RESISTANT TO CORROSION. THE POWDER COATING PROCESS CREATES A DURABLE, EASY-TO-CLEAN SURFACE THAT CAN WITHSTAND EXPOSURE TO THE ELEMENTS. THIS MAKES IT AN IDEAL MATERIAL FOR OUTDOOR LIGHTING FIXTURES.

WHITE REF: WR







#### **RUSTY IRON**

ROYAL BOTANIA USES A CAST IRON ALLOY WITH A SMALL PERCENTAGE OF COPPER AND CHROME. THIS PREVENTS ANY LAYER OF OXIDATION CREATED BY CONTACT WITH AIR AND WATER FROM FLAKING OFF. THE RESULT IS AN EVEN, RUST-COLOURED PATINA THAT BLENDS IN PERFECTLY WITH THE NATURAL SURROUNDINGS.

RUSTY IRON REF: RI



### **GLASS**

ROYAL BOTANIA OFFERS TWO VARIETIES OF COLORED GLASS: CLEAR AND SMOKE, BOTH HANDMADE AND HIGHLY SUITABLE FOR OUTDOOR USE.





SMOKE REF: SM



### **BRASS**

BRASS IS A METALLIC ALLOY COMPOSED OF COPPER AND ZINC. THE ANTIQUE BRASS FINISH IS ACHIEVED THROUGH A PROCESS OF ACID DIPPING, WHICH GIVES THE BRASS A DARK, AGED APPEARANCE. THIS FINISH IS WIDELY SOUGHT AFTER FOR ITS UNIQUE, VINTAGE LOOK.

ANTIQUE BRASS



WEATHERED BRASS



#### ZINC

THE ZINC ALLOY USED TO MANUFACTURE ROYAL BOTANIA LIGHTING WILL LOOK WHITE IN COLOUR WHEN FIRST INSTALLED IN THE LANDSCAPE. THIS IS DUE TO THE ACIDIFICATION OF THE ZINC OXIDE. AT A LATER STAGE, THIS WHITE DEPOSIT WILL WASH OFF AND WILL TURN INTO A LOVELY DARKGREY PATINA.

ZINC REF: Z



### **PORCELAIN**

PORCELAIN, REFINED AND PRODUCED WITH MODERN AND SOPHISTICATED TECHNIQUES REMAINS STABLE IN ALL TEMPERATURES. IT'S EXTREMELY HARD, WEAR-RESISTANT AND COLORFAST. THIS SUSTAINABLE AND LIFELONG PORCELAIN IS VERY SUITABLE FOR INDOOR- AND OUTDOOR USE.









#### **POLYOLEFIN**

THIS SYNTHETIC FIBRE WHICH IS MADE FROM POLYETHYLENE, OFFERS NUMEROUS BENEFITS. THESE INCLUDE EXCEPTIONAL STRENGTH, COLOR FASTNESS, AND RESISTANCE TO STAINING AND VARIOUS WEATHER CONDITIONS. ITS DURABILITY AND VERSATILITY MAKE IT AN EXCELLENT CHOICE FOR A WIDE RANGE OF APPLICATIONS.

BRONZE
REF: ...B - POLYPROPYLENE





#### **FABRICS**


ROYAL BOTANIA SOURCES ONLY THE FINEST QUALITY TEXTILES FROM AROUND THE WORLD, METICULOUSLY SELECTING MATERIALS THAT ARE BOTH SUMPTUOUS TO THE TOUCH AND CAPABLE OF WITHSTANDING THE ELEMENTS, RESULTING IN A PRODUCT THAT IS BOTH LUXURIOUS AND PRACTICAL.

VIEW THEM BY SCANNING THE QR CODE BELOW!



### CERAMIC

THE CERAMIC TOPS ARE MADE FROM NATURAL CLAYS, SO SMALL COLOUR GRADATIONS CAN OCCUR. THIS MAKES EACH TABLE UNIQUE.



## **FURNITURE & PLANTER CATALOGUE**

ASK YOUR DEALER FOR THE COMPLETE OUTDOOR FURNITURE & PLANTER CATALOGUE OR DOWNLOAD THEM ON OUR WEBSITE: WWW.ROYALBOTANIA.COM

