

MULTIFORME

lighting





**LIGHT
UP
YOUR
DREAMS**

light up your dreams

Diamo luce ai vostri sogni con opere di illuminazione uniche. Con passione e professionalità, il nostro intento quotidiano è quello di ricercare l'eccellenza e diffondere bellezza, valorizzando la creatività e il saper fare dell'artigianato Made in Italy.

We light up your dreams with unique lighting products. With passion and professionalism, our daily goal is that of researching excellence and spreading beauty, enhancing the creativity and know-how of the Made in Italy craftsmanship.

INDEX

8	ABOUT US
10	BESPOKE SERVICES
22	Rent
24	Restoration LIGHTING
26	Progressive
178	Timeless
426	PORTFOLIO
512	COLOURS AND FINISHES

ABOUT US

ITALIAN HANDMADE LIGHTING

MULTIFORME® nasce nel 2009 ed è una realtà in costante crescita nel panorama internazionale dell'illuminazione decorativa, apprezzata per le qualificate capacità tecniche unite a creatività ed elevati standard di competenze di manodopera artigianale. Tra i principali punti di forza la capacità di realizzare opere custom e bespoke, fornendo soluzioni a totale misura del cliente, pubblico o privato.

Le proposte di illuminazione MULTIFORME® sono vere espressioni dei valori del Made in Italy, poiché derivano da un processo volto all'eccellenza che combina artigianato, tecnologia e design, in cui è immediatamente riconoscibile al cliente la cura del dettaglio e la costante ricerca dell'esclusività in ogni sua fase.

MULTIFORME® esprime, in modo autentico e dinamico, stile e creatività in ogni sua realizzazione.

MULTIFORME® was born in 2009 and it is constantly growing in the decorative lighting international scenario, producing unique, creative and excellent works. Among its main strengths, there is the ability to create custom and bespoke products, providing tailored solutions to both public and private clients.


MULTIFORME® lighting solutions are true expressions of the best Made in Italy values, since they result from a production process which aims at excellence and that combines craftsmanship and technologies with design. A procedure where the customer perceives the attention to detail and the constant search for exclusivity in every phase.

MULTIFORME® knows how to express, in an authentic and dynamic way, style and creativity in each of its creations.



BESPOKE
OUR
PASSION
OUR
SOUL





UNIQUE BESPOKE CHANDELIERS

Grazie ai nostri reparti tecnici e di produzione, operiamo in totale autonomia e siamo in grado di sviluppare ogni tipo di progetto, offrendo ai nostri clienti soluzioni di elevato valore artistico. Il nostro know-how, ci permette di sviluppare elaborati progetti nel settore custom, con l'obiettivo di soddisfare al meglio le specifiche richieste dei nostri clienti.

Tutto ciò rende MULTIFORME® una realtà apprezzata a livello internazionale che collabora con importanti marchi nel settore dell'arredamento e dell'interior design.

Thanks to our technical and production departments, we operate in complete autonomy and we are able to develop any kind of project by offering our customers high value solutions. In Our know-how allows us to elaborate custom projects with the aim of satisfying the specific requirements of our customers.

All this makes MULTIFORME® an internationally acclaimed reality that collaborates with major brands in the interior decoration and interior design field.



Lavorazioni di falegnameria su misura
Custom-made woodworking



Incisione alla mola su vetro e specchiatura artigianale
Glass and mirrors handcrafted engravings




Soffiatura vetro artistico a mano libera e a stampo
Freehand and molded artistic glass ceiling





Prototipazione e mock-up
Prototyping and mock-up





Lavori di carpenteria su metalli di pregio (inox, alluminio, rame, ottone)
Selected metals carpentry (stainless steel, aluminium, copper, brass)





RENT

LUXURY EVENTS DECOR

Il servizio di noleggio lampadari di MULTIFORME® è il più professionale e completo. I lampadari in affitto, sia di grandi che di piccole dimensioni, arrivano sempre puntuali, puliti, pronti al montaggio e con i collegamenti elettrici già predisposti. L'ideale quando si parla di arredi a noleggio per eventi, matrimoni, feste private, sfilate di moda, spettacoli o allestimenti per fiere e saloni.

Inoltre, le nostre squadre di installatori operano a livello internazionale, con garanzia di montaggi celeri e sicuri, lavorando con ordine e pulizia nel massimo rispetto della privacy.

The chandeliers rental service by MULTIFORME® is the most professional and complete. The rented chandeliers, both in big and small size, will arrive always on time, clean and ready to be assembled, with the electrical configuration. This represents the ideal solution when it comes to rented furniture for events, weddings, private parties, fashion shows and exhibitions' staging.

Furthermore, our team of specialized installers operate internationally, guaranteeing quick and safe assembly and working with order and tidiness in the utmost respect for privacy.

RESTORATION

MURANO CHANDELIERS REPAIRS

Grazie alla nostra fornace possiamo realizzare pezzi di ricambio per lampadari in vetro di forme, dimensioni e colori diversi, rispettando il più possibile l'originale bellezza e lavorazione del lampadario da restaurare.

Per il restauro di grandi lampadari storici all'interno di luoghi di culto, enti pubblici o abitazioni private, MULTIFORME® esegue interventi di recupero, manutenzione, messa a norma e riproduzione di parti danneggiate, sia in vetro che in altri materiali.

Dare nuova luce ai capolavori d'illuminazione è parte dell'impegno etico di MULTIFORME®.

Thanks to our furnace we can produce spare parts for glass chandeliers of different models, colors and shapes, respecting the original beauty and style of the broken chandelier.

As far as the restoration of big, ancient chandeliers inside places of worship, public places or private residences is concerned, MULTIFORME® can also carry out renovation works, maintenance and reproductions of broken pieces, both made of glass and other materials.

Giving new life to lighting masterpieces is part of MULTIFORME®'s ethical commitment.





116	Absolute	70	Hexigo
122	Absolute d'acqua	38	Ikebana
130	Alchimia	132	Imaginarium
66	B&L	110	Marimba
100	Bebop	112	Mystique
82	Candy	46	Oxi
78	Cellini	176	Parnassus
154	Charleston	84	Pasha
106	Chimera	120	Planet
80	Contrappunto	64	Polaris
52	Dadaumpa	90	Scintilla
136	Dancer	172	Skyline
96	Delice	168	Space Age
56	Desafinado	126	Temptation
134	Folie	174	Tilight
54	Galactic	128	Tipotipetto
72	Goblin	48	Tribeca
86	Heritage	146	Vanity

PROGRESSIVE



Ikebana p. 38



OXI p. 46




Tribeca p. 48



Dadaumpa p. 52



Galactic p. 54



Desafinado p. 56



Polaris p. 64



B&L p. 66



Hexigo p. 70



Goblin p. 72



Cellini p. 78



Contrappunto p. 80



Candy p. 82



Pasha p. 84



Heritage p. 86



Scintilla p. 90



Temptation p. 126



Tipotipetto p. 128



Alchimia p. 130



Imaginarium p. 132




Delice p. 96



Bebop p. 100




Chimera p. 106




Marimba p. 110



Folie p. 134



Dancer p. 136



Vanity p. 146



Charleston p. 154




Mystique p. 112



Absolute p. 116



Planet p. 120



Absolute d'acqua p. 122



Space Age p. 168



Skyline p. 172



Tilight p. 174



Parnassus p. 176



326	Accadueo	316	Montecristo
234	Americano	402	Nabucco
304	Bellepoque 364	202	Palladium
308	Bellepoque 394	222	Parisienne
216	Bevante	318	Pasternak
332	Bovary	226	Portofino
378	Caesar	392	Regale
292	Capriccio 550	324	Ritz
300	Capriccio 560	416	Rosae Rosarum
238	Chapeau	188	Serenade
286	Coco	398	Sherazade
204	Dandy	262	Simplicissimus 360
270	Diamante	266	Simplicissimus 390
244	Edgar	276	Swing 274
348	Fenix	280	Swing 275
310	Fluage	180	The Moon
362	Galliano	230	Tobia
248	Gatsby	370	Toffee
254	Gatsby Naked	194	Tourbillon
420	Girasole	258	Tresor
368	Giudecca	336	V-Classic 800
352	Golden Century 86	344	V-Classic 900
358	Golden Century 87	360	V-Star
212	Iko	218	Velvet
422	Iris	406	Villa Borghese
400	Kia Ora	412	Villa Doria
192	Melisanda	410	Villa Medici
198	Metropole	186	Vogue


TIMELESS




The Moon p. 180




Vogue p. 186




Serenade p. 188




Melisanda p. 192



Tourbillon p. 194



Metropole p. 198



Palladium p. 202




Dandy p. 204



Iko p. 212




Bevante p. 216




Velvet p. 218



Parisienne p. 222



Portofino p. 226



Tobia p. 230



Americano p. 234



Chapeau p. 238



Swing 275 p. 280



Coco p. 286



Capriccio 550 p. 292



Capriccio 560 p. 300



Edgar p. 244



Gatsby p. 248



Gatsby Naked p. 254



Tresor p. 258




Bellepoque 364 p. 304



Bellepoque 394 p. 308



Fluage p. 310



Montecristo p. 316



Simplicissimus 360 p. 262




Simplicissimus 390 p. 266




Diamante p. 270



Swing 274 p. 276



Pasternak p. 318



Ritz p. 324



Accadueo p. 326



Bovary p. 332



V-Classic 800 p. 336




V-Classic 900 p. 344



Fenix p. 348



Golden Century 86 p. 352



Kia Ora p. 400



Nabucco p. 402



Villa Borghese p. 406




Villa Medici p. 410



Golden Century 87 p. 358



V-Star p. 360



Galliano p. 362



Giudecca p. 368



Villa Doria p. 412



Rosae Rosarum p. 416



Girasole p. 420



Iris p. 422



Toffee p. 370



Caesar p. 378



Regale p. 392



Sherazade p. 398



PROGRESSIVE

TRADITION IN TRANSITION

Ikebana

by ROMANI e SACCANI

SS3370-9-FK1
Ø 60 cm - H 160 cm
E14 9 x MAX 40W



SS3370-5-RU1
W 16 cm - H 60 cm - D 130 cm
E14 5 x MAX 40W



SS3370-1
W 16 cm - H 180 cm - D 16 cm
E14 1 x MAX 40W



LM3370-1
W 20 cm - H 62 cm - D 25 cm
E14 1 x MAX 40W



APP370-1-FK1
W 20 cm - H 62 cm - D 25 cm
E14 1 x MAX 40W




SS3370-5
 W 16 cm - H 60 cm - D 130 cm
 E14 5 x MAX 40W



IKEBANA by Romani Saccani



Technical data



- R Ceiling cup
- C Chain
- H Height
- Ø Diameter
- D Depth
- W Width

- Bulb
- Weight
- Insulation class
- Frame finishes

Colors

- | | |
|----------------------------|-----------------------------------|
| F Straw / Pagliesco | C Clear / Cristallo |
| R Pink / Rosa | S White silk / Bianco seta |


- | | |
|--------------------------|--------------------------|
| K1 brushed gold | U1 brushed copper |
| N1 brushed nickel | |

General Specifications

CE IP20



LM3370-1-FK1
 W 20 cm - H 62 cm - D 25 cm
 E14 1 x MAX 60W 1,1 KG




APP370-1-FK1
 W 20 cm - H 62 cm - D 25 cm
 E14 1 x MAX 60W 1,1 KG



SS3370-1-CN1
 Ø 16 cm - H 180 cm
 E14 1 x MAX 60W 1,5 KG



SS3370-3-CN1
 Ø 32 cm - H 120 cm
 E14 3 x MAX 60W 4,5 KG



SS3370-5-RU1
 W 16 cm - H 130 cm - D 60 cm
 E14 5 x MAX 40W 8 KG



SS3370-9-FK1
 Ø 60 cm - H 160 cm
 E14 9 x MAX 40W 24 KG

OXI

by BARZILEYE design

SS6530-W
E27 4 x MAX 40W




OXI

by BARZILEYE design



Technical data



R Ceiling cup
C Chain
H Height
Ø Diameter
D Depth
W Width

Bulb
 Weight
 Insulation class
 Frame Finishes

Colors

W White
Bianco

N1 brushed nickel

B brushed bronze

General Specifications

CE IP20



SS6530-W-MC
Ø 15 cm - H 25 cm
 E27 1 x MAX 40W 1,5 KG



SS6530-W-MG
Ø 19 cm - H 28 cm
 E27 1 x MAX 40W 2 KG




SS6530-W-MD
Ø 23 cm - H 43 cm
 E27 1 x MAX 40W 2,5 KG



SS6530-W-ML
Ø 26 cm - H 60 cm
 E27 1 x MAX 40W 3,5 KG

Tribeca



BLP0385-18-R

Ø 100 cm

H 75 cm

⊖ E14 18 x MAX 40W


■ 20 kg

■ pink / rosa

■ pink

CE
IP20





BLP0385-9-C

Ø 100 cm

H 70 cm

⊖ E14 9 x MAX 40W

■ 14 kg

■ R Green/Verde

■ G Green

CE
IP20



Dadaumpa



D1221-24-W
Ø 130 cm
H 140 cm

⊖ G9 24 x MAX 25W
⊖ 25 kg
⊖ White/Bianco
⊖ Lacquered White

CE
IP20
⊖



Galactic



SS6620-75-K
Ø 75 cm
H 100 cm

- ⦿ E14 6 x MAX 40W
- ⬛ 32 kg
- Ⓚ Gold/Oro
- ⓀI brushed gold

CE
IP20
Ⓢ



Desafinado

PL7540-100x260-1
Ø 100 cm - H 260 cm
G9 16 x MAX 25W
COB LED 6 x 11 W



SS7540
Ø 17 cm - H 60 cm
G4 1 x MAX 5W



PL7540Q-100
W 100 cm - H 100 cm - D 100
G4 23 x MAX 1,5W



PL7540R-80x200
 W 200 cm - H 100 cm - D 80
 G4 38 x MAX 5W



Desafinado




Colors

W	White / Bianco	C1	Bubble Glass / Pulegoso
D	Smoke / Fumo	E	Mirrored / Specchiato
F	Straw / Pagliesco	F2	Moka / Moka
K	Gold / Oro		

N1 brushed nickel **K1** brushed gold **B** burnished

Technical data



R	Ceiling cup
C	Chain
H	Height
Ø	Diameter
D	Depth
W	Width
	Bulb
	Weight
	Insulation class
	Frame Finishes

General Specifications


CE IP20



SS7540
 Ø 17 cm - H 60 cm
 G4 x 1 MAX 5W 2,5 KG




PL7540Q-45
 W 45 cm - H 55 cm - D 45 cm
 G4 x 7 MAX 1,5W 15 KG



PL7540Q-55
 W 55 cm - H 60 cm - D 55 cm
 G4 x 9 MAX 1,5W 15 KG



PL7540Q-100
 W 100 cm - H 100 cm - D 100 cm
 G4 x 23 MAX 1,5W 25 KG



PL7540R-65x160
 W 160 cm - H 55 cm - D 65 cm
 G4 28 x MAX 1,5W 30 KG



PL7540R-80x200
 W 200 cm - H 100 cm - D 80 cm
 G4 x 38 MAX 1,5W 45 KG



PL7540-100x260
 W 100 cm - H 260 cm - D 100 cm
 G9 16 x MAX 25W 75 KG



Polaris

PL7520R-38x95x50-N1

W 95 cm
H 50 cm
D 38 cm

 G9 x 10 MAX 40 W
 32 KG
 crystal / cristallo
 brushed nickel

CE
IP20




B&L
by MOCA DESIGN

BD1025-8+4
Ø 110 cm - H 135 cm
G9 12 x MAX 40W



P1025-KW
 W 30 cm - H 160 cm - D 30 cm
 G9 1 x MAX 40W



P1025-KW
 W 30 cm - H 160 cm - D 30 cm
 G9 1 x MAX 40W




B&L by Moca Design



Colors

KW Gold / White
 Oro / Bianco

Technical data



- R Ceiling cup
- C Chain
- H Height
- Ø Diameter
- D Depth
- W Width

- Bulb
- Weight
- Insulation class
- Frame Finishes

K1 brushed gold

General Specifications

CE IP20



P1025-KW
 W 30 cm - H 160 cm - D 30 cm
 G9 1 x MAX 5W 2,5 KG






BD1025-8+4-KW
 Ø 110 cm - H 135 cm
 G9 12 x MAX 40W 20 KG



Hexigo

BD3430-30-K

Ø 100 cm
H 230 cm

-  SMD LED 30 x 3W
-  30 KG
-  gold / oro
-  matt gold

CE
IP20




Goblin

L1075-10-WCK
Ø 100 cm - H 120 cm
G9 10 x MAX 40W



P1075-CK
Ø 41 cm - H 195 cm
E27 1 x MAX 40W



SS1075-D-1
Ø 25 cm - H 65 cm
E27 1 x MAX 40W



SS1075-F-3
Ø 25 cm - H 65 cm
E27 1 x MAX 40W



SS1075-D-2
Ø 25 cm - H 65 cm
E27 1 x MAX 40W



SS1075-F-1
Ø 25 cm - H 65 cm
E27 1 x MAX 40W




LMP1075-FV-4
 Ø 40 cm - H 75 cm
 E27 1 x MAX 40W



Goblin

Technical data



- R Ceiling cup
- C Chain
- H Height
- Ø Diameter
- D Depth
- W Width
- Bulb
- Weight
- Insulation class
- Frame Finishes



Colors

- | | |
|---|---|
| C Clear / Cristallo | F Straw / Pagliesco |
| D Smoke / Grigio | F2 Moka Moka |
| WCK White / Clear / Gold
Bianco / Cristallo / Oro | CK Clear / Gold
Cristallo / Oro |
| N polished nickel | K polished gold |

General Specifications

CE IP20



LMP1075-FV-4
 Ø 40 cm - H 75 cm
 E27 x 1 MAX 40 W 3,5 KG



LMP1075-F2V-5
 Ø 40 cm - H 75 cm
 E27 x 1 MAX 40 W 3,5 KG



SS1075-D-1
 Ø 25 cm - H 65 cm
 E27 x 1 MAX 40 W 4 KG



SS1075-D-2
 Ø 25 cm - H 65 cm
 E27 x 1 MAX 40 W 4 KG



SS1075-F-3
 Ø 25 cm - H 65 cm
 E27 x 1 x MAX 40 W 4 KG



P1075-CK
 Ø 41 cm - H 195 cm
 E27 x 24 MAX 25W 20 KG





L1075-10-WCK
 Ø 100 cm - H 120 cm
 G9 x 10 MAX 40 W 14 KG



Cellini

BL1020-14-KK1

W 170 cm
H 120 cm
D 100 cm

-  E14 x 14
-  C4 x 7
-  40 kg
-  Gold / Oro
-  brushed gold

CE
IP20











Contrappunto

BLP1005-10-DCJ

W 160 cm
H 80 cm
D 80 cm

 E14 x 10
 20 kg
 smoke / fumo
 polished chrome
 black

CE
IP20










Candy

SS3190-09-P1

W 140 cm
H 80 cm
D 10 cm

-  G9 x 9
-  5 kg
-  Shades of gray/
Toni di grigio e
 trasparenze
-  brushed pewter

CE
IP20








Pasha


B6610T-18-5WJ5

Ø 85 cm
H 60 cm

 G9 x 18

 22 kg

 5W artistic white filigrana
filigrana artistica bianca

 burnished titanium leaf

CE
IP20




Heritage

B1030-12-CB

W 80 cm - H 80 cm - D 80 cm

E14 x 6 MAX 25W

G4 x 6 MAX 25W



B1030E-20-CB

W 110 cm - H 110 cm - D 75 cm

E14 x 10 MAX 25W

G4 x 10 MAX 25W



B1030E-24-CB
 W 185cm - H 70 cm - D 80 cm
 E14 x 12 MAX 25W
 G4 x 12 MAX 25W



Heritage




Colors

C Clear / Cristallo

B burnished brass

Technical data



R Ceiling cup
 C Chain
 H Height
 Ø Diameter
 D Depth
 W Width

Bulb
 Weight
 Insulation class
 Frame Finishes

General Specifications

CE IP20



B1030-12-CB
 W 80 cm - H 80 cm - D 80 cm
 E14 x 6 + G4 x 6 25 KG




B1030E-20-CB
 W 110 cm - H 110 cm - D 75 cm
 E14 x 6 + G4 x 6 35 KG



B1030E-24-CB
 W 185 cm - H 70 cm - D 80 cm
 E14 x 12 + G4 x 12 50 KG

Scintilla

PL7610-24-CS
Ø 60 cm - H 155 cm
G4 24 x MAX 25W



PL7610-37-CK
Ø 90 cm - H 190 cm
G4 37 x MAX 25W



PL7610-9-CK1
 Ø 40 cm - H 190 cm
 G4 9 x MAX 25W



Scintilla



Colors

C Clear
Cristallo

CK Clear / Gold
Oro / Cristallo

K1 brushed gold


B burnished brass

K polished gold

General Specifications

CE IP20

Technical data



R Ceiling cup

C Chain

H Height

Ø Diameter

D Depth

W Width

Bulb


Weight

Insulation class

Frame Finishes




SS7610-CK
 Ø 10 cm - H 50 cm
 G4 1 x MAX 25W 1,5 KG



PL7610-9-CK
 Ø 40 cm - H 190 cm
 G4 9 x MAX 25W 10 KG



PL7610-24-CS
 Ø 60 cm - H 155 cm
 G4 24 x MAX 25W 15 KG







PL7610-37-CK
 Ø 90 cm - H 190 cm
 G4 37 x MAX 25W 30 KG



Delice

PL6606-13-1WN1

Ø 70 cm
H 230 cm

-  E14 x 13
-  38 kg
-  Clear crystal / white Murrina
Cristallo / Murrina bianca
-  brushed nickel





CE
IP20






SS6606-1WN1

Ø 18 cm
H 60 cm





-  E14 1 x MAX 25W
-  3 kg
-  clear crystal / white murrina
cristallo / murrina bianca
-  brushed nickel

CE
IP20




LM6606-1WN1

Ø 22 cm
H 42 cm

-  E27 x 1
-  3 kg
-  Clear crystal / white Murrina
Cristallo / Murrina bianca
-  brushed nickel

CE
IP20




Bebop

PL6550-38-1DJ3

Ø 140 cm

H 50 cm

-  G9 x 38
-  200 kg
-  Clear gray artistic glass
Vetro artistico grigio
trasparente
-  lacquered black





CE
IP20







PL6550-12-1DW

Ø 70 cm
H 170 cm

-  G9 12 x MAX 25W
-  35 kg
-  Clear gray artistic glass
Vetro artistico grigio
trasparente
-  lacquered white





CE
IP20



PL6550-12-CW

Ø 70 cm
H 170 cm

-  G9 12 x MAX 25W
-  35 kg
-  Clear gray artistic glass
Vetro artistico grigio
trasparente
-  lacquered white





CE
IP20





Chimera

SS7700-1DC

Ø 85 cm
H 165 cm

-  E14 23 x MAX 40W
-  90 kg
-  frozen clear and grey
grigio chiaro ghiaccio
-  polished chrome





CE
IP20



SS7701-DK

Ø 80 cm
H 110 cm





-  G9 14 x MAX 40W
-  60 kg
-  Frozen clear and grey
Cristallo chiaro ghiaccio
-  polished gold

CE
IP20




SS7700-120X260-AK

Ø 120 cm
H 260 cm

-  G9 60 x MAX 40W
-  80 kg
-  Amber
Ambra
-  polished gold

CE
IP20




Marimba

PL7550-75x100-CK

Ø 75 cm
H 100 cm

-  G9 x 15 MAX 25W
-  45 kg
-  Clear / Gold
Cristallo / Oro
-  polished chrome

CE
IP20







Mystique



SS7800-1DN1

Ø 75 cm
H 100 cm

-  E14 x 9 MAX 40W
-  25 kg
-  artistic multicolor
multicolore artistico
-  brushed nickel





CE
IP20



SS7800-K5K1

Ø 75 cm
H 100 cm

 E14 x 9 MAX 40W
 25 kg
 gold / oro
 brushed gold

CE
IP20


Absolute

SSP3600-65
Ø 65 cm - H 100 cm
G9 7 x MAX 40W



SSP3600-100
 Ø 100 cm - H 150 cm
 G9 10 x MAX 40W
 35 KG



Absolute



Colors

AKL Amber / Gold / Cotton brown
 Ambra / Oro / Cotone marrone

AKV Amber / Gold / Cotton ivory
 Ambra / Oro / Cotone avorio


N polished nickel

K polished gold

General Specifications

CE IP20

Technical data



R Ceiling cup

C Chain

H Height

Ø Diameter

D Depth


W Width

Bulb

Weight

Insulation class

Frame Finishes




SSP3600-65-AKL

Ø 65 cm - H 80 cm

G9 x 7 MAX 40W

20 KG



SSP3600-100-AKL

Ø 100 cm - H 100 cm

G9 x 10 MAX 40W

35 KG



SSP3600-130-AKV

Ø 130 cm - H 150 cm

G9 x 19 MAX 40W

75 KG





Planet

APP3610-1-CNW

W 15 cm
H 50 cm
D 15 cm

-  E14 x 1
-  2 kg
-  clear glass
cristallo
-  polished nickel
-  organza silk off-white

CE
IP20



APP3610-1-AKV

W 15 cm
H 50 cm
D 15 cm

-  E14 x 1
-  2 kg
-  Amber glass
Ambra
-  polished gold
-  Organza silk ivory

CE
IP20



APP3610-1-KKV

W 15 cm
H 50 cm
D 15 cm

-  E14 x 1
-  2 kg
-  Gold glass
Oro
-  polished gold
-  Organza silk ivory

CE
IP20



Absolute d'acqua

SSP3601-65-KV
Ø 65 cm - H 100 cm
G9 7 x MAX 40W



SSP3601E-CND
 W 142 cm - H 130 cm - D 55 cm
 G9 18 x MAX 40W



Absolute d'acqua



Colors

KV Gold / Cotton ivory
 Oro / Cotone avorio

CND Clear / Cotton dove gray
 Cristallo / Cotone tortora

N polished nickel

K polished gold

Technical data



R Ceiling cup

C Chain

H Height

Ø Diameter

D Depth

W Width

Bulb

Weight

Insulation class

Frame Finishes

General Specifications

CE IP20




SSP3601-KV

Ø 18 cm - H 18 cm

G9 x 1 MAX 40W

2 KG



SSP3601-CND

Ø 18 cm - H 18 cm

G9 x 1 MAX 40W

2 KG



SSP3601-65-KV

Ø 65 cm - H 100 cm

G9 x 7 MAX 40W

30 KG



SSP3601E-CND

W 142 cm - H 130 cm - D 55 cm

G9 x 18 MAX 40W

45 KG









Temptation

BSR3330T-18-DWN1

W 225 cm
H 150 cm
D 160 cm

-  E14 x 18
-  50 kg
-  grey / white trimmings
grigio / decori bianchi
-  brushed nickel

CE
IP20









Tipotipetto

LE2850-12+6+6+6-ZD

Ø 130 cm
H 105 cm
C 30 cm

-  G9 x 30 MAX 25W
-  40 kg
-  Shades of gray/white/black glass paste
Sfumature grigie / bianche / pasta vetro nera
-  brushed nickel

CE
IP20







Alchimia

L1300-9-WC

Ø 80 cm
H 70 cm


-  E14 x 9 MAX 40W
-  8 kg
-  white / clear
bianco / cristallo
-  laquered white

CE
IP20




L1300-6-WK

Ø 60 cm
H 70 cm

-  E14 x 6
-  5 kg
-  White/gold
-  Laquered white




CE
IP20




Imaginarium

L3311-18-C1W

Ø 120 cm
H 100 cm
C 30 cm

 G9 x 18
 18 kg
 c1w clear / white
cristallo / bianco
 N nickel

CE
IP20











Folie

BRP3350-11-WWD

W 90 cm
H 100 cm
D 140 cm

-  E14 x 11
-  18 kg
-  white
-  lacquered white
-  pongé light gray

CE
IP20





Dancer

SS7651-DK


W 170 cm - H 60 cm - D 40 cm

G9 18 x MAX 25W

■ 32 KG



SS7651T-80-1CB
Ø 80 cm - H 50 cm
G9 9 x MAX 25W
26 KG



AP7651-DK
W 35 cm - H 90 cm - D 18 cm
G9 5 x MAX 25W
12 KG




SS7651
W 15 cm - H 90 cm - D 15 cm
G9/E14 1 x MAX 25W
2 KG



SS7651S-75x215-DN
W 75 cm - H 215 cm - D 75 cm
G9 25 x MAX 25W



PL7651-DN
 W 170 cm - H 60 cm - D 40 cm
 G9 18 x MAX 25W




DANCER - 7651

Dancer



Technical data



- R Ceiling cup
- C Chain
- H Height
- Ø Diameter
- D Depth
- W Width
- Bulb
- Weight
- Insulation class
- Frame Finishes

Colors

- A2 Tangerine / Mandarino
- D Smoke / Fumo

- N polished nikel
- K polished gold

General Specifications

CE IP20




AP7651-DK
 W 35 cm - H 90 cm - D 18 cm
 G9 x 5 MAX 40W 12 KG



SS7651-S-DK
 Ø 15 cm - H 90 cm
 E14 x 1 MAX 40W 2,2 KG



SS7651S-75x215-DN
 Ø 75 cm - H 215 cm
 G9 x 25 MAX 25W 64 KG



SS7651T-80-1CB
 Ø 80 cm - H 50 cm
 G9 x 9 MAX 25W 26 KG



PL7651-DN
 W 170 cm - H 60 cm - D 40 cm
 G9 x 18 MAX 40W 30 KG



SS7651-DK
 W 170 cm - H 60 cm - D 40 cm
 G9 x 7 MAX 40W 30 KG



SS7651-A2K
 W 170 cm - H 60 cm - D 40 cm
 G9 x 18 MAX 40W 40 KG



Vanity

SS7660-80x100-CN
Ø 80 cm - H 100 cm
G9 12 x MAX 40W



PL7660-65x85-CDN1
Ø 65 cm - H 85 cm
G9 9 x MAX 40W



PL7660-90x85-CDK
Ø 80 cm - H 100 cm
G9 12 x MAX 40W



SS7660-120x130-CN
 Ø 120 cm - H 140 cm
 G9 22 x MAX 40W



Vanity

Technical data



- R Ceiling cup
- C Chain
- H Height
- Ø Diameter
- D Depth
- W Width
- Bulb
- Weight
- Insulation class
- Frame Finishes

Colors

- C Clear / Cristallo
- D Smoke / Fumo

N1 brushed nickel

General Specifications

CE IP20



PL7660-65x85-CDN1
 Ø 65 cm - H 85 cm
 G9 x 9 MAX 40W 18 KG



SS7660-60x80-CN
 Ø 60 cm - H 80 cm
 G9 x 9 MAX 25W 25 KG



PL7660-90x85-CDK
 Ø 90 cm - H 85 cm
 G9 x 12 MAX 40W 18 KG



SS7660-80x100-CN
 Ø 80 cm - H 100 cm
 G9 x 12 MAX 25W 29 KG



SS7660-100x120-CN
 Ø 100 cm - H 120 cm
 G9 x 13 MAX 25W 32 KG



SS7660-120x130-CN
 Ø 120 cm - H 130 cm
 G9 x 19 MAX 40W 38 KG

Charleston

PL7500Q-50x40-U1
PL7500Q-50x40-N1
PL7500Q-50x40-K1


W 50 cm - H 40 cm - D 50 cm
E14 x 5 MAX 40W



PL7501-60x55-C
Ø 60 cm - H 55 cm
E14 x 9 MAX 40W



PL7500Q-100x40-C
W 100 cm - H 40 cm - D 100 cm
E14 20 x MAX 40W



PL7500Q-100x40-K3
W 100 cm - H 40 cm - D 100 cm
E14 20 x MAX 40W

PL7501-40x50-U1
Ø 40 cm - H 50 cm
E14 5 x MAX 40W



PL7502-40x125-U1
Ø 40 cm - H 125 cm
E14 11 x MAX 40W



PL7502-40x125-S
Ø 40 cm - H 125 cm
E14 x 11 MAX 40W



PL7501-70x140
Ø 70 cm - H 140 cm
E14 20 x MAX 40W




PL7503-50x140
W 140 cm - H 35 cm - D 50 cm
E14 10 x MAX 40W



PL7500R-68x200x30-C
W 200 cm - H 30 cm - D 68 cm
G9 x 30 MAX 40W



PL7500Q-100x40-K3
W 100 cm - H 40 cm - D 100 cm
E14 x 20 MAX 40W



PL7501-130X30-C
D 130 cm - H 30 cm
E14 x 9 MAX 40W



Charleston

Technical data



- R Ceiling cup
- C Chain
- H Height
- ∅ Diameter
- D Depth
- W Width
- Bulb
- Weight
- Insulation class
- Frame Finishes

Colors

- | | | |
|--------------------------|-------------------|---------------------|
| U Copper Rame | K Gold Oro | C Crystal Cristallo |
| S White silk Bianco seta | A Amber Ambra | |
| N1 brushed nickel | U1 brushed copper | K1 brushed gold |
| W laquered white | K3 laquered gold | C polished chrome |

General Specifications

CE IP20



PL7501-30x30-C
∅ 30 cm - H 30 cm
E14 x 4 MAX 40W 12 KG



PL7501-40x50-U1
∅ 40 cm - H 50 cm
E14 x 5 MAX 40W 15 KG



PL7501-60x55-C
∅ 60 cm - H 55 cm
E14 x 9 MAX 40W 22 KG



PL7502R-40x80-S
∅ 40 cm - H 80 cm
E14 x 6 MAX 40W 20 KG



PL7500Q-50x40-E
W 50 cm - H 40 cm - D 50 cm
E14 x 4 MAX 40W 20 KG



PL7500Q-60x40-K
W 60 cm - H 40 cm - D 60 cm
E14 x 9 MAX 40W 30 KG



PL7500Q-70x40-K
W 70 cm - H 40 cm - D 70 cm
E14 x 9 MAX 40W 40 KG



PL7500Q-100x40-C
W 100 cm - H 40 cm - D 100 cm
E14 x 20 MAX 40W 85 KG



PL7502-40x125-U1
∅ 40 cm - H 125 cm
E14 x 11 MAX 40W 30 KG



PL7503-70x140-AK3
∅ 70 cm - H 140 cm
E14 x 20 MAX 40W 80 KG



PL7500-130x30-C
∅ 130 cm - H 30 cm
E14 x 13 MAX 40W 100 KG



PL7500R-50x140x35-AK3
W 140 cm - H 35 cm - D 50 cm
E14 x 10 MAX 40W 60 KG




PL7500R-40x100x30-K1
W 40 cm - H 30 cm - D 100 cm
E14 x 9 MAX 40W 40,2 KG



PL7500R-68x200x30-C
W 68 cm - H 30 cm - D 200 cm
E14 x 30 MAX 40W 87 KG

Space Age

PL7001-140x100-C
Ø 140 cm - H 100 cm
E14 x 9



PL7001-90x70-C
 Ø 90 cm - H 70 cm
 E14 x 9

AP7010-C
 W 35 cm - H 45 cm - D 20 cm
 E14 x 3



SPACE AGE

Space Age



Technical data



- R Ceiling cup
- C Chain
- H Height
- Ø Diameter
- D Depth
- W Width
- Bulb
- Weight
- Insulation class
- Frame Finishes

Colors

C Clear
Cristallo

N1 brushed nickel

K1 brushed gold

General Specifications

CE IP20



AP7010-C
 W 35 cm - H 45 cm - D 20 cm
 E14 x 3 MAX 40W 7 KG



PL7001-60x50-C
 Ø 60 cm - H 50 cm
 E14 x 6 MAX 40W 30 KG



PL7001-90x70-C
 Ø 90 cm - H 70 cm
 E14 x 9 MAX 40W 60 KG



PL7001-100x80-C
 Ø 100 cm - H 80 cm
 E14 x 9 MAX 40W 80 KG



PL7001-120x90-C
 Ø 120 cm - H 90 cm
 E14 x 12 MAX 40W 80 KG







PL7001-140x100-C
 Ø 140 cm - H 100 cm
 E14 x 15 MAX 40W 100 KG



Skyline

PL6555-25-1AY8

W 150 cm
H 40 cm
D 40 cm

 E14 x 25
 25 kg
 shades of amber
 burnished brass

CE
IP20









Tilight

SS7805-1A1N1

W 145 cm
H 20 cm
D 50 cm

-  Led strip + C9
-  25 kg
-  1A1 honey/white
-  brushed nickel

CE
IP20



Parnassus

WALL LIGHT AP7820-1WJW6

W 30 cm
H 36 cm
D 5 cm

⊕ C9 x 4
⊕ 8 kg
1W shades of gray
W white

CE
IP20
⊕



MIRROR M7820-1WJW6

W 125 cm
H 90 cm

⊕ 35 kg
1W shades of gray
W lacquered white

CE
IP20
⊕





TIMELESS


NEVERENDING BEAUTY

The Moon

SEP1222-6+6+3-ED
Ø 115 cm - H 130 cm
E14 15 x MAX 25W



SEP1222-12+12-ED
Ø 155 cm - H 155 cm
E14 15 x MAX 25W



SEP1222-6+6-ED
Ø 115 cm - H 130 cm
E14 15 x MAX 25W












Vogue

DP1011-9+6-DW

Ø 85 cm
H 80 cm

-  E14 15x MAX 40W
-  14 kg
-  smoke / fumo
-  white cotton

IP20




DP1011-12+9+6-GW

Ø 120 cm
H 110 cm

-  E14 27x MAX 40W
-  23 kg
-  green / verde
-  white cotton

CE
IP20



Serenade

LP0370-8-F4V
Ø 100 cm - H 70 cm
E14 8 x MAX 40W



DP0370-10+5-F4V
Ø 125 cm - H 90 cm
E14 15 x MAX 40W




LP0370-6-DV
 Ø 100 cm - H 70 cm
 E14 6 x MAX 40W



Serenade



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza
- Bulb / Lampadina
- Weight / Peso
- Insulation class / Classe isolamento

Colors

- | | |
|-------------------------------------|-----------------------------|
| F1 Light Moka
Moca chiaro | C Clear
Cristallo |
| DV Smoke
Fumo | F Straw
Pagliesco |
| W White
Bianco | K Gold
Oro |

General Specifications

CE IP20



APP0370-1-F4V
 W 40 cm - H 40 cm - D 30 cm
 E14 2 x MAX 40W 1 KG



APP0370-2-F4V
 W 40 cm - H 40 cm - D 30 cm
 E14 2 x MAX 40W 1 KG



LP0370-6-DV
 Ø 100 cm - H 70 cm
 E14 6 x MAX 40W 2 KG



LP0370-8-WV
 Ø 100 cm - H 70 cm
 E14 8 x MAX 40W 2 KG



LP0370-8-F4V
 Ø 100 cm - H 70 cm
 E14 8 x MAX 40W 7 Kg






LP0370-10+5-F4V
 Ø 125 cm - H 90 cm
 E14 15 x MAX 40W 7 Kg



Melisanda

SE0525-5+5-R

Ø 85 cm
H 80 cm

 E14 10 x MAX 40W
 10 kg
 Pink / Rosa

CE
IP20










Tourbillon

LP0505-6-A2W

Ø 100 cm
H 60 cm

-  E14 6 x MAX 40W
-  10 kg
-  tangerine
mandarino
-  white cotton





CE
IP20






LP0505-6-D2W

Ø 100 cm
H 60 cm

 E14 6 x MAX 40W
 9 kg
 D2 graphite / grafito
 W white cotton

CE
IP20



Metropole



LE0380-15+10+5-D2

Ø 150 cm
H 150 cm
C 30 cm
R 14 cm

E14 30 x MAX 40W
45 kg
D2 graphite / grafite

CE
IP20




LE0380-15+10+5-D3

Ø 150 cm
H 150 cm
C 30 cm
R 14 cm

E14 30 x MAX 40W
45 kg
D3 slate / ardesia




CE
IP20





LE0380-16+8+4-K

Ø 150 cm
H 150 cm
C 30 cm
R 14 cm

 E14 12 x MAX 40W
 40 kg
 gold / oro

CE
IP20





Palladium

LP1001-12-DJ

Ø 130 cm
H 110 cm
C 30 cm
R 14 cm

⊖ E14 12 x MAX 40W
■ 17 kg
D smoke / grigio
A black / nero

CE
IP20



DP1001-12+6+6-DJ

Ø 130 cm
H 130 cm
C 55 cm
R 14 cm

⊖ E14 24 x MAX 40W
■ 27 kg
D smoke / grigio
A black / nero

CE
IP20




Dandy

DP0354-20+10+5-VAV
Ø 160 cm - H 175 cm
E14 35 x MAX 40W



DEP0354-8x4-VDW
Ø 55 cm - H 190 cm
E14 32 x MAX 40W



L0354-5+5-WW
Ø 50 cm - H 80 cm
E14 10 x MAX 40 W




L0354-5-VD
 Ø 60 cm - H 75 cm
 E14 5 x MAX 25 W



Dandy

Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza
- Bulb / Lampadina
- Weight / Peso
- Insulation class / Classe isolamento



Colors

- | | | | |
|-----|--|---|-------------------|
| VD | Opaque light gray
Incamiciato grigio chiaro | C | Clear / Cristallo |
| VAV | Ivory / Avorio | W | White
Bianco |

General Specifications

CE IP20




LMP0354
 Ø 30 cm - H 90 cm
 E27 1 x MAX 40W 2.3 KG



L0354-5-VD
 Ø 60 cm - H 75 cm
 E14 5 x MAX 25W 4 KG



LE0354-5+5-WW
 W 48 cm - H 80 cm - D 48 cm
 E14 10 x MAX 40W 8 KG



DEPO354-8x4-VDW
 W 55 cm - H 195 cm - D 55 cm
 E14 32 x MAX 40W 20 KG



DP0354-20+10+5-VAV
 Ø 160 cm - H 175 cm
 E14 35 x MAX 40W 40 Kg



iko

S1010-8-JJ
Ø 85 cm - H 95 cm
E14 24 x MAX 40W




ST1010-6+6-JJ
Ø 85 cm - H 110 cm
E14 24 x MAX 40W





ST1010-12+12-J
 Ø 120 cm - H 110 cm
 E14 24 x MAX 40W



Iko

Technical data




- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza
- Bulb / Lampadina
- Weight / Peso
- Insulation class / Classe isolamento

Colors




General Specifications


CE IP20



ST1010-8-J
 Ø 85 cm - H 40 cm
 E14 24 x MAX 40W 35 KG



ST1010-6+6-J
 Ø 85 cm - H 110 cm
 E14 24 x MAX 40W 35 Kg



ST1010-12+12-J
 Ø 120 cm - H 110 cm
 E14 24 x MAX 40W 35 Kg



Bevante

L0353-6-VF

Ø 90 cm
H 85 cm
C 30 cm
R 12 cm

E14 6 x MAX 60W
7 kg
VF cappuccino

CE
IP20



D0353-12+8+6-S

Ø 115 cm
H 190 cm
C 55 cm
R 14 cm

E14 26 x MAX 40W
29 kg
S White Silk / Seta

CE
IP20



Velvet



LE0359-5+5-A

Ø 110 cm
H 85 cm
C 30 cm
R 12 cm

⊖ E14 10 x MAX 60W
⚖ 9 kg
A acacia / acacia

CE
IP20






L0359-6-VM2

Ø 80 cm
H 80 cm
C 30 cm
R 12 cm

⦿ E14 6 x MAX 60W
⚖ 7 kg
VM2 opaque aubergine
incamiciato melanzana

CE
IP20




L0359-6-VG2

Ø 80 cm
H 80 cm
C 30 cm
R 12 cm

⦿ E14 6 x MAX 60W
⚖ 7 kg
VG2 Opaque Sea Green
Incamiciato verde marino

CE
IP20



L0359-6-D2W

Ø 80 cm
H 80 cm
C 30 cm
R 12 cm

⦿ E14 6 x MAX 60W
⚖ 7 kg
D2W Graphite / White
Grafite / Bianco

CE
IP20





Parisienne

LP0514-5-M2D1
Ø 75 cm - H 80 cm
E14 5 x MAX 40W



LP0514-6-AV
Ø 75 cm - H 80 cm
E14 5 x MAX 40W



APPO514-2-M2D1
 W 30 cm - H 25 cm - D 25 cm
 E14 2 x MAX 40W




Parisienne



Technical data




- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza
-  Bulb / Lampadina
-  Weight / Peso
-  Insulation class / Classe isolamento

Colors


-  M2D1 Aubergine / light gray
Melanzana / grigio chiaro
-  FV Straw / Ivory
Pagliesco / Avorio
-  C Clear / Cristallo

General Specifications


CE IP20



APP0514-1-M2D1
 W 30 cm - H 40 cm - D 30 cm
 E14 1 x MAX 40W 1 KG



APP0514-2-M2D1
 W 40 cm - H 40 cm - D 30 cm
 E14 2 x MAX 40W 2 KG



LP0514-5-M2D1
 Ø 75 cm - H 80 cm
 E14 5 x MAX 40W 8 Kg






LP0514-6-FV
 Ø 75 cm - H 80 cm
 E14 6 x MAX 40W 7 Kg



Portofino

L0356-8-G2

Ø 90 cm
H 85 cm
C 30 cm
R 12 cm

 E14 8 x MAX 60W
 9 kg
 sea green
verde marino

CE
IP20






L0356-6-F2

Ø 80 cm
H 85 cm
C 30 cm
R 12 cm

↻ E14 8 x MAX 60W
📦 7 kg
F2 moka / moca

CE
IP20




Tobia

L0347-6-VD2-MG
Ø 70 cm - H 65 cm
E14 6 x MAX 60W



L0347-8-M2
Ø 100 cm - H 75 cm
E14 8 x MAX 60W



APRP0545-2-D2
 W 35 cm - H 50 cm D - 30
 E14 2 x MAX 60W



Tobia



Technical data



R Ceiling cup / Rosone
 C Chain / Catena
 H Height / Altezza
 Ø Diameter / Diametro
 D Depth / Profondità
 W Width / Larghezza

Bulb / Lampadina
 Weight / Peso
 Insulation class / Classe isolamento

Colors

VD2 Opaque Dark Gray
 Incamiciato grigio scuro


D2 Graphite / Grafite

C Clear / Cristallo


M2 Aubergine / Melanzana

General Specifications


CE IP20



AP0347-1-D2
 W 39 cm - H 34 cm - D 30 cm
 E14 1 x MAX 60W 1 KG




AP0347-2-D2
 W 40 cm - H 35 cm - D 30 cm
 E14 2 x MAX 60W 1 KG



L0347-6-D2
 Ø 80 cm - H 60 cm
 E14 6 x MAX 60W 5,2 KG



L0347-6-VD2
 Ø 70 cm - H 65 cm
 E14 6 x MAX 60W 6 KG







L0347-8-M2
 Ø 100 cm - H 75 cm
 E14 8 x MAX 60W 8 KG




Americano

LT0515-6-M2V

Ø 85 cm
H 90 cm
C 30 cm
R 12 cm

 E14 6 x MAX 40W
 10 kg
 M2 aubergine / melanzana
 V ivory / avorio





CE
IP20






LT0515-6-CV

Ø 90 cm
H 90 cm
C 30 cm
R 12 cm

 E14 6 x MAX 40W
 11 kg
 Clear / Cristallo
 Ivory / Avorio

CE
IP20



Chapeau

LEP0360-10+5-KA
Ø 95 cm - H 95 cm
E14 15 x MAX 40W



DPO360-12+6+6-CD1
Ø 120 cm - H 160 cm
E14 24 x MAX 40W



LEP0360-6+3-SW-MG
Ø 60 cm - H 70 cm
E14 9 x MAX 40W




DP0360-16+8-CD1
Ø 120 cm - H 110 cm
E14 24 x MAX 40W



Chapeau

Technical data



R	Ceiling cup / Rosone
C	Chain / Catena
H	Height / Altezza
Ø	Diameter / Diametro
D	Depth / Profondità
W	Width / Larghezza

	Bulb / Lampadina
	Weight / Peso
	Insulation class / Classe isolamento



Colors

KA	Gold / Oro Acacia / Acacia	KKSA	Gold / Oro White Silk / Seta Acacia / Acacia
SA	White Silk / Seta Acacia / Acacia	SW	White Silk / Seta White / Bianco
CD1	Clear / Cristallo Light Gray / Grigio chiaro	CW	Clear / Cristallo White / Bianco

General Specifications

CE IP20



LUP0360-CD1
Ø 15 cm - H 35 cm
E14 1 x MAX 40W 1 KG



APP0360-1-SA
W 15 cm - H 45 cm - D 30 cm
E14 1 x MAX 40W 1 KG



APP0360-2-SA-1
W 30 cm - H 45 cm - D 30 cm
E14 2 x MAX 40W 2 KG



APP0360-3-SA-1
W 35 cm - H 45 cm - D 30 cm
E14 3 x MAX 40W 3 KG



LP0360-10-CD1
Ø 95 cm - H 90 cm - C 30 cm - R 14 cm
E14 10 x MAX 40W 9 KG



LEP0360-10+5-KA
Ø 95 cm - H 95 cm - C 30 cm - R 14 cm
E14 15 x MAX 40W 15 KG



LP0360-12-SW
Ø 100 cm - H 90 cm - C 30 cm - R 14 cm
E14 12 x MAX 40W 13 KG



DPO360-10+5-CD1
Ø 95 cm - H 120 cm - C 55 cm - R 14 cm
E14 15 x MAX 40W 15 KG



LP0360-5-KA-MC
Ø 50 cm - H 60 cm - C 30 cm - R 10 cm
E14 5 x MAX 40W 3 KG



LP0360-5-CD1-MG
Ø 60 cm - H 70 cm - C 30 cm - R 10 cm
E14 5 x MAX 40W 6,5 KG



LP0360-6-KKSA
Ø 80 cm - H 80 cm - C 30 cm - R 12 cm
E14 6 x MAX 40W 6 KG



LEP0360-6+3-SW-MG
Ø 60 cm - H 70 cm - C 30 cm - R 10 cm
E14 9 x MAX 40W 6,5 KG



DPO360-16+8-CD1
Ø 120 cm - H 110 cm - C 55 cm - R 14 cm
E14 24 x MAX 40W 25 KG



DPO360-18+9-CD1
Ø 130 cm - H 110 cm - C 55 cm - R 14 cm
E14 27 x MAX 40W 40 KG



DPO360-12+6+6-CD1
Ø 120 cm - H 160 cm - C 55 cm - R 14 cm
E14 24 x MAX 40W 22 KG

Edgar

LE0376-10+5-S
Ø 90 cm - H 100 cm
E14 15 x MAX 60W



L0375-12-D
Ø 115 cm - H 105 cm
E14 12 x MAX 60W




AP0375-2-W
W 30 cm - H 25 cm - D 25 cm
E14 2 x MAX 60W



Edgar



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- Bulb / Lampadina
- Weight / Peso
- Insulation class / Classe isolamento

Colors

- K** Gold / Oro
- S** White Silk / Seta
- W** White / Bianco
- WK** White / Bianco Gold / Oro
- D** Smoke / Fumo

General Specifications

CE IP20




AP0375-1-W
W 15 cm - H 25 cm - D 30 cm
E14 1 x MAX 60W 2 KG



AP0375-2-W
W 30 cm - H 25 cm - D 25 cm
E14 2 x MAX 60W 3 KG




L0375-5-W
Ø 70 cm - H 80 cm - C 30 cm - R 12 cm
E14 5 x MAX 60W 6 KG




L0375-6-W
Ø 70 cm - H 80 cm - C 30 cm - R 12 cm
E14 6 x MAX 60W 8 KG




D0375-6+3-WCK
Ø 80 cm - H 95 cm - C 55 cm - R 14 cm
E14 9 x MAX 60W 12 KG



L0375-8-K
Ø 80 cm - H 95 cm - C 30 cm - R 12 cm
E14 8 x MAX 60W 10 KG



LE0376-10+5-S
Ø 90 cm - H 100 cm - C 30 cm - R 14 cm
E14 15 x MAX 60W 15 KG



L0375-12-D
Ø 115 cm - H 105 cm - C 30 cm - R 14 cm
E14 12 x MAX 60W 12 KG

Gatsby



LP0484-8-KX
Ø 85 cm - H 80 cm
E14 8 x MAX 40W



LP0484-5-D2W
Ø 70 cm - H 75 cm
E14 5 x MAX 40W



SP0484-10+5+CD1
Ø 100 cm - H 170 cm
E14 15 x MAX 40W



SP0484-12+6-WCW

Ø 130 cm - H 190 cm


E14 18 x MAX 40W



Gatsby



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- Bulb / Lampadina
- Weight / Peso
- Insulation class / Classe isolamento

Colors



Amber / Ambra
Ivory / Avorio



White / Bianco
Clear / Cristallo
White / Bianco



Graphite / Grafite
White / Bianco



Gold / Oro
Red / Rosso

General Specifications


CE IP20



APE0484-3+2-WCW
W 45 cm - H 50 cm - D 30 cm
E14 5 x MAX 40W 3 KG



LP0484-5-D2W
Ø 70 cm - H 75 cm - C 30 cm - R 12 cm
E14 5 x MAX 40W 7 KG



LP0484-8-KX
Ø 85 cm - H 80 cm - C 30 cm - R 14 cm
E14 8 x MAX 40W 10 KG



DP0484-10+5-AV
Ø 120 cm - H 150 cm - C 55 cm - R 14 cm
E14 15 x MAX 40W 20 KG




SP0484-10+5-CD1
Ø 100 cm - H 170 cm - C 55 cm - R 14 cm
E14 15 x MAX 40W 25 KG



SP0484-12+6-WCW
Ø 130 cm - H 190 cm - C 55 cm - R 14 cm
E14 18 x MAX 40W 32 KG

Gatsby Naked

S0484-12+6-C
Ø 130 cm - H 190 cm
E14 18 x MAX 40W



L0484-5-D2
 Ø 70 cm - H 75 cm
 E14 5 x MAX 40W



Gatsby Naked




Colors

D2 Graphite / Grafite

K Gold / Oro

WC White / Bianco
 Clear / Cristallo

Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- Bulb / Lampadina
- Weight / Peso
- Insulation class / Classe isolamento

General Specifications

CE IP20



L0484-5-D2
 Ø 70 cm - H 75 cm - C 30 cm - R 12 cm
 E14 5 x MAX 40W 7 KG



L0484-6-W
 Ø 75 cm - H 80 cm - C 30 cm - R 14 cm
 E14 6 x MAX 60W 8 KG



L0484-8-K
 Ø 85 cm - H 80 cm - C 30 cm - R 14 cm
 E14 8 x MAX 40W 11 KG



S0484-12+6-WC
 Ø 140 cm - H 190 cm - C 55 cm - R 14 cm
 E14 18 x MAX 40W 32 KG



Tresor

LK0284-6-FC
Ø 75 cm - H 70 cm
E14 6 x MAX 60W





LK0284-9-K-1
 Ø 110 cm - H 85 cm
 E14 15 x MAX 60W



Tresor

Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- ☉ Bulb / Lampadina
- ⚖ Weight / Peso
- ⚡ Insulation class / Classe isolamento



Colors

F Straw
Pagliesco

K Gold
Oro

C Clear
Cristallo

General Specifications


CE IP20



APK0284-1-FC
 W 75 cm - H 70 cm - D 75 cm
 ☉ E14 1 x MAX 60W ⚖ 1 KG



APK0284-2-FC
 W 75 cm - H 70 cm - D 75 cm
 ☉ E14 1 x MAX 60W ⚖ 10 KG



LK0284-6-FC
 Ø 75 cm - H 70 cm - C 30 cm - R 12 cm
 ☉ E14 6 x MAX 60W ⚖ 10 KG



LK0284-9-K-1
 Ø 150 cm - H 95 cm - C 30 cm - R 14 cm
 ☉ E14 9 x MAX 60W ⚖ 17 KG

Simplicissimus 360

LE0360-10+5-K
Ø 95 cm - H 95 cm
E14 15 x MAX 60W




L0360-12-S
Ø 100 cm - H 90 cm
E14 12 x MAX 60W



Simplicissimus 360



Technical data



R	Ceiling cup / Rosone
C	Chain / Catena
H	Height / Altezza
Ø	Diameter / Diametro
D	Depth / Profondità
W	Width / Larghezza
Bulb / Lampadina	
Weight / Peso	
Insulation class / Classe isolamento	

Colors

C	Clear / Cristallo	S	White Silk / Seta	D2	Graphite / Grafite
CJ	Clear / Cristallo Black / Nero	CW	Clear / Cristallo White / Bianco	K	Gold / Oro
KKS	Gold / Oro White Silk / Seta				

General Specifications

CE IP20



LA0360-S
Ø 15 cm - H 35 cm
E14 1 x MAX 60W 1 KG



AP0360-1-CW
W 15 cm - H 25 cm - D 30 cm
E14 1 x MAX 60W 2 KG



AP0360-2-S
W 30 cm - H 25 cm - D 30 cm
E14 2 x MAX 60W 2 KG



AP0360-3-S
W 45 cm - H 25 cm - D 30 cm
E14 3 x MAX 60W 3 KG



L0360-5-CJ
Ø 75 cm - H 80 cm - C 30 cm - R 12 cm
E14 5 x MAX 60W 6 KG



L0360-6-KKS
Ø 75 cm - H 80 cm - C 30 cm - R 12 cm
E14 6 x MAX 60W 8 KG



L0360-8-C
Ø 95 cm - H 90 cm - C 30 cm - R 12 cm
E14 8 x MAX 60W 10 KG



L0360-10-C
Ø 95 cm - H 90 cm - C 30 cm - R 14 cm
E14 10 x MAX 60W 12 KG



L0360-5-CW-MB
Ø 45 cm - H 50 cm - C 30 cm - R 10 cm
E14 5 x MAX 60W 4 KG



L0360-5-K-MC
Ø 55 cm - H 60 cm - C 30 cm - R 10 cm
E14 5 x MAX 60W 4 KG



L0360-5-D2-MG
Ø 65 cm - H 70 cm - C 30 cm - R 10 cm
E14 5 x MAX 60W 5 KG



LE0360-6+3-S-MG
Ø 65 cm - H 70 cm - C 30 cm - R 10 cm
E14 9 x MAX 60W 9 KG



L0360-12-S
Ø 100 cm - H 90 cm - C 30 cm - R 14 cm
E14 12 x MAX 60W 14 KG



LB0360-12-C
W 130 cm - H 95 cm - D 90 cm - C 30 cm - R 14 cm
E14 12 x MAX 60W 15 KG



LE0360-10+5-K
Ø 95 cm - H 95 cm - C 30 cm - R 14 cm
E14 15 x MAX 60W 18 KG



D0360-18+9-C
Ø 120 cm - H 110 cm - C 55 cm - R 14 cm
E14 27 x MAX 40W 40 KG

Simplicissimus 390

LE0390-6+3-C
Ø 80 cm - H 80 cm
E14 9 x MAX 40W




L0390-5-KKS-MG
Ø 70 cm - H 70 cm
E14 5 x MAX 40W



Simplicissimus 390



Technical data



R	Ceiling cup / Rosone
C	Chain / Catena
H	Height / Altezza
Ø	Diameter / Diametro
D	Depth / Profondità
W	Width / Larghezza
	Bulb / Lampadina
	Weight / Peso
	Insulation class / Classe isolamento

Colors

C	Clear / Cristallo	A	Amber / Ambra
Sj	White Silk / Seta Black / Nero	SG2	White Silk / Seta Lake / Verde Lago
KKS	Gold / Oro White Silk / Seta	CA	Clear / Cristallo Amber / Ambra
K	Gold / Oro		

General Specifications

CE IP20



LA0390-C
Ø 20 cm - H 35 cm
E14 1 x MAX 60W 1 KG



AP0390-1-C
W 15 cm - H 30 cm - D 30 cm
E14 1 x MAX 40W 2 KG



AP0390-2-K
W 35 cm - H 30 cm - D 30 cm
E14 2 x MAX 40W 2 KG




L0390-5-SG2-MB
Ø 50 cm - H 50 cm - C 30 cm - R 10 cm
E14 5 x MAX 40W 4 KG




L0390-6-K
Ø 80 cm - H 80 cm - C 30 cm - R 12 cm
E14 6 x MAX 40W 8 KG



LE0390-6+3-C
Ø 80 cm - H 80 cm - C 30 cm - R 12 cm
E14 9 x MAX 40W 10 KG



PL0390-8-C
Ø 105 cm - H 65 cm - R 15 cm
E14 8 x MAX 40W 10 KG



L0390-8-CA
Ø 100 cm - H 90 cm - C 30 cm - R 12 cm
E14 8 x MAX 40W 10 KG



L0390-3-A-MC
Ø 60 cm - H 60 cm - C 30 cm - R 10 cm
E14 3 x MAX 40W 3 KG



L0390-5-C-MC
Ø 60 cm - H 60 cm - C 30 cm - R 10 cm
E14 5 x MAX 40W 4 KG



L0390-5-KKS-MG
Ø 70 cm - H 70 cm - C 30 cm - R 10 cm
E14 5 x MAX 40W 5 KG




L0390-6-SJ-MG
Ø 70 cm - H 70 cm - C 30 cm - R 10 cm
E14 6 x MAX 40W 6 KG

Diamante

L0355-6-AC
Ø 75 cm - H 75 cm
E14 6 x MAX 60W



LE0355-6+3-BC
Ø 80 cm - H 90 cm
E14 9 x MAX 40W




LE0355-6+6-C
Ø 105 cm - H 105 cm
E14 12 x MAX 60W



L0355-6-WK
Ø 75 cm - H 90 cm
E14 6 x MAX 60W




D0355-6+3-CK
 Ø 75 cm - H 90 cm
 E14 9 x MAX 60W



Diamante



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- Bulb / Lampadina
- Weight / Peso
- Insulation class / Classe isolamento

Colors

- | | |
|---|--|
| C Clear / Cristallo | CK Clear / Cristallo
Gold / Oro |
| WK White / Bianco
Gold / Oro | S White Silk / Seta |
| D2C Graphite / Grafite
Clear / Cristallo | Q1C Sky Blu / Celeste
Clear / Cristallo |
| AC Acacia / Acacia
Clear / Cristallo | |

General Specifications

CE IP20



AP0355-1-C
 W 15 cm - H 35 cm - D 25 cm
 E14 1 x MAX 60W 2 KG




AP0355-2-CK
 W 25 cm - H 35 cm - D 25 cm
 E14 2 x MAX 60W 2 KG




AP0355-3-WK
 W 30 cm - H 35 cm - D 25 cm
 E14 3 x MAX 60W 3 KG



L0355-6-S-MB
 Ø 45 cm - H 50 cm - C 30 cm - R 10 cm
 E14 6 x MAX 60W 5 KG




L0355-5-Q1C-MG
 Ø 65 cm - H 85 cm - C 30 cm - R 10 cm
 E14 5 x MAX 60W 7 KG



L0355-6-D2C
 Ø 75 cm - H 90 cm - C 30 cm - R 12 cm
 E14 6 x MAX 60W 10 KG



LE0355-6+6-C
 Ø 105 cm - H 105 cm - C 30 cm - R 14 cm
 E14 12 x MAX 60W 16 KG



D0355-6+3-CK
 Ø 75 cm - H 90 cm - C 55 cm - R 14 cm
 E14 9 x MAX 40W 13 KG

Swing 274

L0274-5-K
Ø 80 cm - H 80 cm
E14 5 x MAX 40W



PLO274-5-A
Ø 85 cm - H 55 cm
E14 5 x MAX 40W




PL0274-9-S
 Ø 95 cm - H 55 cm
 E14 9 x MAX 40W



Swing 274



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- Bulb / Lampadina
- Weight / Peso
- Insulation class / Classe isolamento

Colors


- | | | | |
|---|-------------------|---|-------------------|
| A | Acacia / Acacia | S | White Silk / Seta |
| C | Clear / Cristallo | K | Gold / Oro |

General Specifications


CE IP20




AP0274-1-C
 W 25 cm - H 40 cm - D 30 cm
 E14 1 x MAX 40W 2 KG



AP0274-2-A
 W 40 cm - H 40 cm - D 30 cm
 E14 2 x MAX 40W 2 KG




AP0274-3-C
 W 50 cm - H 40 cm - D 30 cm
 E14 3 x MAX 40W 3 KG



L0274-3-A-MC
 Ø 60 cm - H 60 cm - C 30 cm - R 10 cm
 E14 3 x MAX 40W 5 KG



L0274-5-K
 Ø 80 cm - H 80 cm - C 30 cm - R 12 cm
 E14 5 x MAX 40W 7 KG



PL0274-5-A
 Ø 85 cm - H 55 cm - R 12 cm
 E14 5 x MAX 40W 6 KG



PL0274-9-S
 Ø 95 cm - H 55 cm - R 12 cm
 E14 9 x MAX 40W 10 KG

Swing 275


L0275-6-S
Ø 75 cm - H 80 cm
E14 6 x MAX 60W



D0275-12+6-C
Ø 100 cm - H 140 cm
E14 18 x MAX 60W



D0275-15+10+5-W
Ø 130 cm - H 210 cm
E14 30 x MAX 40W



S0275-6-A0
 Ø 75 cm - H 100 cm
 E14 6 x MAX 60W



Swing 275



Technical data



R Ceiling cup / Rosone
 C Chain / Catena
 H Height / Altezza
 Ø Diameter / Diametro
 D Depth / Profondità
 W Width / Larghezza

⚡ Bulb / Lampadina
 ⚖ Weight / Peso
 ⚡Ⓜ Insulation class / Classe isolamento

Colors


C	Clear / Cristallo	D	Smoke / Fumo
A0	Iridescent Amber / Ambra iridato	Q2	Ocean Blue / Blu oceano
K	Gold / Oro	S	White Silk / Seta

General Specifications

CE IP20



AP0275-1-C
 W 25 cm - H 40 cm - D 30 cm
 ⚡ E14 1 x MAX 60W ⚖ 2 KG



AP0275-2-S
 W 35 cm - H 40 cm - D 30 cm
 ⚡ E14 2 x MAX 60W ⚖ 2 KG



AP0275-3-C
 W 50 cm - H 40 cm - D 30 cm
 ⚡ E14 3 x MAX 60W ⚖ 3 KG



L0275-5-D
 Ø 75 cm - H 80 cm - C 30 cm - R 12 cm
 ⚡ E14 5 x MAX 60W ⚖ 8 KG



L0275-6-Q2
 Ø 75 cm - H 80 cm - C 30 cm - R 12 cm
 ⚡ E14 6 x MAX 60W ⚖ 10 KG



L0275-12-C
 Ø 100 cm - H 90 cm - C 30 cm - R 14 cm
 ⚡ E14 12 x MAX 60W ⚖ 18 KG




S0275-6-A0
 Ø 75 cm - H 100 cm - C 55 cm - R 14 cm
 ⚡ E14 6 x MAX 60W ⚖ 12 KG



D0275-12+6-C
 Ø 100 cm - H 140 cm - C 55 cm - R 14 cm
 ⚡ E14 18 x MAX 60W ⚖ 32 KG

Coco

LEP0371-7+7-CW
Ø 100 cm - H 70 cm
E14 14 x MAX 40W



APEP0371-2+1-CAA
W 40 cm - H 40 cm - D 30 cm
E14 3 x MAX 40W



DP0371-6+6+6-CAA
Ø 105 cm - H 90 cm
E14 18 x MAX 40W



DP0371-6+6+6-D2D2

Ø 105 cm - H 90 cm


E14 18 x MAX 40W



Coco



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- Bulb / Lampadina
- Weight / Peso
- Insulation class / Classe isolamento

Colors

- CAA** Clear / Cristallo
Amber / Ambra
Amber / Ambra
- WW** White / Bianco
White / Bianco
- KA** Gold / Oro
Amber / Ambra


- D2D2** Graphite / Dark Gray
Grafite / Grigio scuro
- CW** Clear / Cristallo
White / Bianco

General Specifications

CE IP20



APP0371-2-CW
W 35 cm - H 30 cm - D 25 cm
E14 2 x MAX 40W 2 KG



APEP0371-2+1-CAA
W 40 cm - H 40 cm - D 30 cm
E14 3 x MAX 40W 2 KG




LP0371-5-KA-MB
Ø 45 cm - H 55 cm - C 30 cm - R 10 cm
E14 5 x MAX 40W 3 KG



LP0371-7-KA
Ø 80 cm - H 65 cm - C 30 cm - R 12 cm
E14 7 x MAX 40W 6 KG



LP0371-9-WW
Ø 110 cm - H 70 cm - C 30 cm - R 12 cm
E14 9 x MAX 40W 8 KG



DP0371-6+6-D2D2-MG
Ø 70 cm - H 75 cm - C 55 cm - R 14 cm
E14 12 x MAX 40W 7 KG



DP0371-10+5-W
Ø 100 cm - H 100 cm - C 30 cm - R 14 cm
E14 15 x MAX 40W 11 KG



DP0371-6+6+6-CAA
Ø 105 cm - H 90 cm - C 55 cm - R 14 cm
E14 18 x MAX 40W 12 KG

Capriccio 550

L0550-8-K
Ø 95 cm - H 90 cm
E14 8 x MAX 60W



D0550-12+6-CA
Ø 120 cm - H 140 cm
E14 18 x MAX 60W



L0550-5-KG-MB

Ø 45 cm - H 50 cm

E14 5 x MAX 60W

L0550-5-KJ-MB

Ø 45 cm - H 50 cm

E14 5 x MAX 60W

L0550-5-KB-MB

Ø 45 cm - H 50 cm

E14 5 x MAX 60W



L0550-5-K-MB

Ø 45 cm - H 50 cm

E14 5 x MAX 60W

L0550-5-KU-MB

Ø 45 cm - H 50 cm

E14 5 x MAX 60W

L0550-5-KW-MB

Ø 45 cm - H 50 cm

E14 5 x MAX 60W



D0550-10+5-F
Ø 110 cm - H 120 cm
E14 15 x MAX 60W




D0550-12+6+6-C
Ø 120 cm - H 160 cm
E14 24 x MAX 40W



Capriccio 550



Technical data



R	Ceiling cup / Rosone
C	Chain / Catena
H	Height / Altezza
Ø	Diameter / Diametro
D	Depth / Profondità
W	Width / Larghezza
	Bulb / Lampadina
	Weight / Peso
	Insulation class / Classe isolamento

Colors

C	Clear / Cristallo	CJ	Clear / Cristallo Black / Nero	CA	Clear / Cristallo Amber / Ambra
S	White Silk / Seta	SA	White Silk / Seta Amber / Ambra	F	Straw / Pagliesco
K	Gold / Oro	KC	Gold / Oro Green / Verde	KW	Gold / Oro White / Bianco
KB	Gold / Oro Blue / Blu	KU	Gold / Oro Ruby / Rubino	KJ	Gold / Oro Black / Nero

General Specifications

CE IP20



AP0550-1-C
W 25 cm - H 40 cm - D 30 cm
E14 1 x MAX 60W 2 KG



AP0550-2-S
W 35 cm - H 40 cm - D 30 cm
E14 2 x MAX 60W 2 KG



AP0550-3-S
W 45 cm - H 40 cm - D 30 cm
E14 3 x MAX 60W 3 KG




PL0550-CA
Ø 65 cm - H 50 cm - R 10 cm
E14 3 x MAX 60W 7 KG




L0550-5-CJ
Ø 75 cm - H 80 cm - C 30 cm - R 12 cm
E14 5 x MAX 60W 6 KG



L0550-6-C
Ø 75 cm - H 80 cm - C 30 cm - R 12 cm
E14 6 x MAX 60W 8 KG



L0550-8-S
Ø 95 cm - H 90 cm - C 30 cm - R 12 cm
E14 8 x MAX 60W 12 KG



SM0550-6-CJ
Ø 80 cm - H 105 cm - C 55 cm - R 12 cm
E14 6 x MAX 60W 10 KG



L0550-5-KG-MB
Ø 45 cm - H 50 cm - C 30 cm - R 10 cm
E14 5 x MAX 60W 5 KG



L0550-3-K-MC
Ø 55 cm - H 60 cm - C 30 cm - R 10 cm
E14 3 x MAX 60W 4 KG



L0550-5-K-MC
Ø 55 cm - H 60 cm - C 30 cm - R 10 cm
E14 5 x MAX 60W 5 KG



L0550-5-SA-MG
Ø 65 cm - H 70 cm - C 30 cm - R 10 cm
E14 5 x MAX 60W 6 KG



L0550-12-C
Ø 120 cm - H 160 cm - C 55 cm - R 14 cm
E14 24 x MAX 40W 28 KG



D0550-10+5-F
Ø 110 cm - H 120 cm - C 55 cm - R 14 cm
E14 15 x MAX 60W 18 KG



D0550-12+6-CA
Ø 120 cm - H 140 cm - C 55 cm - R 14 cm
E14 18 x MAX 60W 21 KG



D0550-12+6+6-C
Ø 120 cm - H 160 cm - C 55 cm - R 14 cm
E14 24 x MAX 40W 28 KG

Capriccio 560

L0560-6-K
Ø 80 cm - H 80 cm
E14 6 x MAX 40W



L0560-6-SI-MG
Ø 70 cm - H 70 cm
E14 6 x MAX 40W




LE0560-6+3-C
 Ø 90 cm - H 80 cm
 E14 9 x MAX 40W



Capriccio 560



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- ☞ Bulb / Lampadina
- ⚡ Weight / Peso
- ⊕ □ Insulation class / Classe isolamento

Colors

- C Clear / Cristallo
- K Gold / Oro
- SJ White Silk / Seta
Black / Nero

General Specifications

CE IP20




AP0560-1-C
 W 25 cm - H 40 cm - D 30 cm
 ⚡ E14 1 x MAX 40W 2 KG



AP0560-2-K
 W 40 cm - H 40 cm - D 30 cm
 ⚡ E14 2 x MAX 40W 2 KG



L0560-5-C-MC
 Ø 60 cm - H 60 cm - C 30 cm - R 10 cm
 ⚡ E14 5 x MAX 40W 6 KG



L0560-6-SJ-MG
 Ø 70 cm - H 70 cm - C 30 cm - R 10 cm
 ⚡ E14 6 x MAX 40W 6 KG



L0560-5-C
 Ø 80 cm - H 80 cm - C 30 cm - R 12 cm
 ⚡ E14 5 x MAX 40W 8 KG



L0560-6-K
 Ø 80 cm - H 80 cm - C 30 cm - R 12 cm
 ⚡ E14 6 x MAX 40W 9 KG



L0560-8-K
 Ø 100 cm - H 90 cm - C 30 cm - R 12 cm
 ⚡ E14 8 x MAX 40W 14 KG



LE0560-6+3-C
 Ø 90 cm - H 80 cm - C 30 cm - R 12 cm
 ⚡ E14 9 x MAX 40W 9 KG

Bellepoque 364

LE0364-8+4-K
Ø 80 cm - H 85 cm
E14 12 x MAX 60W



L0364-8-C
Ø 90 cm - H 90 cm
E14 8 x MAX 60W




AP0364-2-S
 W 35 cm - H 45 cm - D 30 cm
 E14 2 x MAX 60W
 ⚡



Bellepoque 364



Technical data



- R Ceiling cup / Rosone
 - C Chain / Catena
 - H Height / Altezza
 - Ø Diameter / Diametro
 - D Depth / Profondità
 - W Width / Larghezza
-
- ⚡ Bulb / Lampadina
 - ⚖ Weight / Peso
 - ⊕ Insulation class / Classe isolamento

Colors

- | | | | |
|---|--------------------|----|---------------------------------|
| W | White / Bianco | CK | Clear / Cristallo
Gold / Oro |
| S | White Silk / Seta | K | Gold / Oro |
| Q | Sky blue / Celeste | | |

General Specifications


CE IP20



AP0364-1-W
 W 15 cm - H 45 cm - D 30 cm
 ⚡ E14 1 x MAX 60W ⚖ 3 KG



AP0364-2-K
 W 35 cm - H 45 cm - D 30 cm
 ⚡ E14 2 x MAX 60W ⚖ 3 KG



L0364-5-Q-MG
 Ø 65 cm - H 70 cm - C 30 cm - R 10 cm
 ⚡ E14 6 x MAX 60W ⚖ 7 KG



L0364-8-Q-MG
 Ø 75 cm - H 80 cm - C 30 cm - R 12 cm
 ⚡ E14 8 x MAX 60W ⚖ 10 KG



L0364-6-W
 Ø 80 cm - H 80 cm - C 30 cm - R 12 cm
 ⚡ E14 6 x MAX 60W ⚖ 10 KG



L0364-8-C
 Ø 90 cm - H 90 cm - C 30 cm - R 12 cm
 ⚡ E14 8 x MAX 60W ⚖ 10 KG



L0364-8-CK
 Ø 90 cm - H 80 cm - C 30 cm - R 12 cm
 ⚡ E14 8 x MAX 60W ⚖ 12 KG



LE0364-8+4-K
 Ø 80 cm - H 85 cm - C 30 cm - R 12 cm
 ⚡ E14 12 x MAX 60W ⚖ 12 KG

Bellepoque 394


L0394-6-A
 Ø 85 cm - H 80 cm
 E14 6 x MAX 40W



Bellepoque 394



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- Bulb / Lampadina
- Weight / Peso
- Insulation class / Classe isolamento

Colors



Amber / Ambra



White / Bianco



Sky blue / Celeste

General Specifications

CE IP20




APE0394-2+1-W
 W 40 cm - H 40 cm - D 25 cm
 E14 3 x MAX 40W 3 KG



L0394-5-Q
 Ø 85 cm - H 80 cm - C 30 cm - R 12 cm
 E14 5 x MAX 40W 7 KG



L0394-6-A
 Ø 85 cm - H 80 cm - C 30 cm - R 12 cm
 E14 6 x MAX 40W 8 KG



LE0394-6+3-W
 Ø 85 cm - H 80 cm - C 30 cm - R 12 cm
 E14 9 x MAX 40W 10 KG

Fluage

SRE0278-6+3-VF
Ø 100 cm - H 100 cm
E14 9 x MAX 60W



SRE0278-8+8-S
Ø 130 cm - H 140 cm
E14 16 x MAX 60W



L0278-6-F2
Ø 75 cm - H 80 cm
E14 6 x MAX 60W





APO278-2-S
W 35 cm - H 40 cm - D 30 cm
E14 2 x MAX 60W



Fluage



Technical data



- R Ceiling cup / Rosone
 - C Chain / Catena
 - H Height / Altezza
 - Ø Diameter / Diametro
 - D Depth / Profondità
 - W Width / Larghezza
-
- Bulb / Lampadina
 - Weight / Peso
 - Insulation class / Classe isolamento

Colors

- | | | | |
|----|--------------------|----|----------------|
| S | White Silk / Seta | VA | Ivory / Avorio |
| D2 | Graphite / Grafite | F2 | Moka / Moka |
| VF | Cappuccino | | |

General Specifications


CE IP20



APO278-1-S
W 25 cm - H 40 cm - D 30 cm
E14 1 x MAX 60W 2 KG



APO278-2-S
W 35 cm - H 40 cm - D 30 cm
E14 2 x MAX 60W 2 KG



L0278-5-D2-MB
Ø 40 cm - H 60 cm - C 30 cm - R 10 cm
G9 5 x MAX 25W 4 KG



L0278-6-S-MB
Ø 40 cm - H 60 cm - C 30 cm - R 10 cm
E14 6 x MAX 60W 5 KG



L0278-6-F2
Ø 75 cm - H 80 cm - C 30 cm - R 10 cm
E14 6 x MAX 60W 9 KG



SRE0278-6+3-VA
Ø 100 cm - H 100 cm - C 30 cm - R 12 cm
E14 9 x MAX 60W 19 KG



SRE0278-8+8-S
Ø 130 cm - H 140 cm - C 55 cm - R 14 cm
E14 16 x MAX 60W 28 KG


Montecristo

SRP0545-8-CW

Ø 100 cm
H 110 cm
C 30 cm
R 14 cm

E14 8 x MAX 60W
18 kg
CW Clear / Cristallo
White / Bianco

CE
IP20



APRP0545-2-CW

Ø 35 cm
H 50 cm
D 30 cm
C 30 cm
R 14 cm

E14 2 x MAX 60W
5 kg
CW Clear / Cristallo
White / Bianco

CE
IP20



Pasternak

SK1035-8-F
Ø 90 cm - H 115 cm
E14 6 x MAX 60W



LK1035-6-F2
Ø 70 cm - H 85 cm
E14 6 x MAX 60W



SK1036-48-A
 CUSTOM WORK
 Ø 140 cm - H 190 cm
 E14 48 x MAX 40W



Pasternak



Technical data



- R Ceiling cup / Rosone
 - C Chain / Catena
 - H Height / Altezza
 - Ø Diameter / Diametro
 - D Depth / Profondità
 - W Width / Larghezza
-
- ☉ Bulb / Lampadina
 - ⚖ Weight / Peso
 - ⊕ □ Insulation class / Classe isolamento

Colors

- | | | | |
|----|--|----|--------------------|
| AC | Acacia / Crystal
Acacia / Cristallo | F | Straw
Pagliesco |
| C | Crystal
Cristallo | F2 | Moka
Moka |

General Specifications

CE IP20




AP1035-2-C
 W 30 cm - H 40 cm - D 25 cm
 ☉ E14 1 x MAX 40W ⚖ 3 KG ⊕



LK1035-6-F2
 Ø 70 cm - H 85 cm
 ☉ E14 6 x MAX 60W ⚖ 10 KG ⊕




SK1035-8-F
 Ø 90 cm - H 115 cm
 ☉ E14 8 x MAX 60W ⚖ 16 KG ⊕



SK1036-48-A
 Ø 140 cm - H 190 cm
 ☉ E14 48 x MAX 40W ⚖ 80 KG ⊕

Ritz


D0466-8+8-VD
Ø 90 cm - H 120 cm
E14 16 x MAX 40W



Ritz



Technical data



R Ceiling cup / Rosone
C Chain / Catena
H Height / Altezza
Ø Diameter / Diametro
D Depth / Profondità
W Width / Larghezza

☉ Bulb / Lampadina
⚖ Weight / Peso
⊕ □ Insulation class / Classe isolamento

Colors

VD Opaque Gray
Incarniato grigio chiaro

D2 Graphite / Grafite


W White / Bianco

General Specifications

CE IP20



AP0466-1-D2
W 30 cm - H 40 cm - D 25 cm
☉ E14 1 x MAX 40W ⚖ 1 KG



AP0466-2-D2
W 30 cm - H 40 cm - D 25 cm
☉ E14 2 x MAX 40W ⚖ 2 KG



L0466-8-W
Ø 70 cm - H 80 cm - C 30 cm - R 12 cm
☉ E14 8 x MAX 40W ⚖ 15 KG



D0466-8+8-VD
Ø 90 cm - H 120 cm - C 55 cm - R 14 cm
E14 16 x MAX 40W 20 KG

Accadueo

L0090-5-SC-MG

Ø 70 cm - H 70 cm - C 30 cm - R 10 cm

E14 5 x MAX 40W

7 KG



L0090-6-CK

Ø 80 cm - H 80 cm

E14 6 x MAX 40W



APO090-2-CA
W 40 cm - H 40 cm - D 30 cm
E14 2 x MAX 40W
♂



DPL0090-6+12-C
Ø 105 cm - H 75 cm - R 14 cm
E14 18 x MAX 40W



S0090-6-C
 Ø 90 cm - H 115 cm
 E14 6 x MAX 40W



Accadueo



Technical data



R Ceiling cup / Rosone
 C Chain / Catena
 H Height / Altezza
 Ø Diameter / Diametro
 D Depth / Profondità
 W Width / Larghezza

Bulb / Lampadina
 Weight / Peso
 Insulation class / Classe isolamento

Colors

C	Clear / Cristallo	CA	Clear / Cristallo Amber / Ambra
SC	White Silk / Seta Clear / Cristallo	CK	Clear / Cristallo Gold / Oro
K	Gold / Oro		

General Specifications


CE IP20



AP0090-1-CA
 W 25 cm - H 40 cm - D 30 cm
 E14 1 x MAX 40W 2 KG



L0090-3-K-MC
 Ø 60 cm - H 60 cm - C 30 cm - R 10 cm
 E14 3 x MAX 40W 4 KG



L0090-5-CA-MG
 Ø 70 cm - H 70 cm - C 30 cm - R 10 cm
 E14 5 x MAX 40W 7 KG



L0090-6-C
 Ø 80 cm - H 80 cm - C 30 cm - R 12 cm
 E14 6 x MAX 40W 9 KG



PL0090-8-CK
 W 100 cm - H 60 cm - D 105 cm - R 12 cm
 E14 8 x MAX 40W 10 KG



DPL0090-3+6-C
 Ø 95 cm - H 70 cm - R 14 cm
 E14 9 x MAX 40W 11 KG





L0090-8-CK
 W 100 cm - H 90 cm - D 105 cm - C 30 cm - R 12 cm
 E14 8 x MAX 40W 13 KG



S0090-6-C
 Ø 90 cm - H 115 cm - C 55 cm - R 14 cm
 E14 6 x MAX 40W 12 KG

Bovary

S0811-16+8+4-WC
Ø 160 cm - H 220 cm
E14 28 x MAX 40W



L0811-5-JCK-MG
Ø 95 cm - H 90 cm
E14 8 x MAX 60W




S0811-24+12+6-A2
 Ø 200 cm - H 300 cm
 E14 42 x MAX 40W



Bovary



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- ⦿ Bulb / Lampadina
- ⚖ Weight / Peso
- ⊕ Insulation class / Classe isolamento

Colors


- W White / Bianco
- A2 Tangerine / Mandarino
- Black / Nero
- Clear / Cristallo
- Gold / Oro

General Specifications

CE IP20



AP0811-2-WC
 W 35 cm - H 40 cm - D 26 cm
 ⦿ E14 2 x MAX 60W ⚖ 2 KG



L0811-5-JCK-MG
 Ø 70 cm - H 65 cm - C 30 cm - R 10 cm
 ⦿ E14 5 x MAX 60W ⚖ 8 KG



L0811-6-WC-ML
 Ø 90 cm - H 80 cm - C 30 cm - R 12 cm
 ⦿ E14 6 x MAX 60W ⚖ 11 KG



D0811-12+6-WC
 Ø 120 cm - H 120 cm - C 55 cm - R 14 cm
 ⦿ E14 18 x MAX 40W ⚖ 32 KG



S0811-16+8+4-WC
 Ø 160 cm - H 220 cm - C 55 cm - R 14 cm
 ⦿ E14 28 x MAX 40W ⚖ 60 KG



S0811-24+12+6-A2
 Ø 200 cm - H 300 cm - C 55 cm - R 14 cm
 ⦿ E14 42 x MAX 40W ⚖ 250 KG

V-Classic 800

L0820-5-SCK-MG
Ø 65 cm - H 70 cm
E14 5 x MAX 60W



L0820-8-SC
Ø 95 cm - H 90 cm
E14 8 x MAX 60W



L0820-5-CG-MC

Ø 55 cm - H 60 cm

E14 5 x MAX 60W

L0820-5-CQ-MC

Ø 55 cm - H 60 cm

E14 5 x MAX 60W

L0820-5-CB-MC

Ø 55 cm - H 60 cm

E14 5 x MAX 60W



L0820-5-CR-MC

Ø 55 cm - H 60 cm

E14 5 x MAX 60W

L0820-5-CM-MC

Ø 55 cm - H 60 cm

E14 5 x MAX 60W

L0820-5-CA-MC


Ø 55 cm - H 60 cm

E14 5 x MAX 60W

APE0829-3+2-CA
W 50 cm - H 55 cm - D 30 cm
E14 5 x MAX 60W



S0820-12+6-CK
Ø 135 cm - H 180 cm
E14 18 x MAX 60W



V-Classic 800



Technical data



R	Ceiling cup / Rosone
C	Chain / Catena
H	Height / Altezza
Ø	Diameter / Diametro
D	Depth / Profondità
W	Width / Larghezza
	Bulb / Lampadina
	Weight / Peso
	Insulation class / Classe isolamento

Colors


CA	Clear / Cristallo Amber / Ambra	CK	Clear / Cristallo Gold / Oro	CG	Clear / Cristallo Green / Verde
C	Clear / Cristallo	KR	Gold / Oro Rose / Rosa	CQ	Clear / Cristallo Sky Blue / Celeste
SCK	White Silk / Seta Gold / Oro	SCA	White Silk / Seta Amber / Ambra	CB	Clear / Cristallo Blue / Blu
SC	White Silk / Seta Clear / Cristallo	D2C	Graphite / Grafite Clear / Cristallo	CR	Clear / Cristallo Rose / Rosa
CM	Clear / Cristallo Amethyst / Amethysta	K	Gold / Oro		

General Specifications

CE IP20



L0823-5-KR-MC
 Ø 55 cm - H 60 cm - C 30 cm - R 10 cm
 E14 5 x MAX 60W 6 KG



L0820-5-D2C-MG
 Ø 65 cm - H 70 cm - C 30 cm - R 10 cm
 E14 5 x MAX 60W 6 KG




L0826-6-SCK-MG
 Ø 65 cm - H 70 cm - C 30 cm - R 10 cm
 E14 6 x MAX 60W 8 KG



L0823-6-C
 Ø 75 cm - H 80 cm - C 30 cm - R 12 cm
 E14 6 x MAX 60W 8 KG



F0820-5-SCK
 Ø 50 cm - H 70 cm
 E14 5 x MAX 60W 5 KG



P0820-5-CK
 Ø 60 cm - H 195 cm
 E14 5 x MAX 60W 15 KG



AP0820-1-SCK
 W 25 cm - H 40 cm - D 30 cm
 E14 1 x MAX 60W 2 KG



AP0820-2-SCK
 W 35 cm - H 40 cm - D 30 cm
 E14 2 x MAX 60W 2 KG



L0820-8-SC
 Ø 95 cm - H 90 cm - C 30 cm - R 12 cm
 E14 8 x MAX 60W 10 KG



L0823-10-K
 Ø 100 cm - H 90 cm - C 30 cm - R 14 cm
 E14 10 x MAX 60W 19 KG



L0829-12-C
 Ø 110 cm - H 90 cm - C 30 cm - R 14 cm
 E14 12 x MAX 60W 20 KG



S0820-6-CK
 Ø 80 cm - H 100 cm - C 55 cm - R 14 cm
 E14 6 x MAX 60W 8 KG



AP0826-3-CK
 W 50 cm - H 40 cm - D 30 cm
 E14 3 x MAX 60W 3 KG



AP0820-3+2-CK
 W 50 cm - H 75 cm - D 30 cm
 E14 5 x MAX 60W 4 KG



APE0820-3+2-CA
 W 50 cm - H 55 cm - D 30 cm
 E14 5 x MAX 60W 4 KG



L0829-3-CA-MC
 Ø 55 cm - H 60 cm - C 30 cm - R 10 cm
 E14 3 x MAX 60W 5 KG



S0820-8-CK
 Ø 100 cm - H 120 cm - C 55 cm - R 14 cm
 E14 8 x MAX 60W 10 KG



D0820-8+4-CK
 Ø 95 cm - H 120 cm - C 55 cm - R 14 cm
 E14 12 x MAX 60W 18 KG



D0826-10+5-CK
 Ø 95 cm - H 120 cm - C 55 cm - R 14 cm
 E14 15 x MAX 60W 20 KG



S0820-12+6-CK
 Ø 130 cm - H 180 cm - C 55 cm - R 14 cm
 E14 18 x MAX 60W 25 KG

V-Classic 900

L0909-8-S
Ø 100 cm - H 90 cm
E14 8 x MAX 40W




L0909-5-D-MC
Ø 60 cm - H 60 cm
E14 5 x MAX 40W



V-Classic 900



Technical data



R	Ceiling cup / Rosone
C	Chain / Catena
H	Height / Altezza
Ø	Diameter / Diametro
D	Depth / Profondità
W	Width / Larghezza
	Bulb / Lampadina
	Weight / Peso
	Insulation class / Classe isolamento

Colors

CA	Clear / Cristallo Amber / Ambra	CK	Clear / Cristallo Gold / Oro	D	Smoke / Fumo
C	Clear / Cristallo	CRK	Clear / Cristallo Gold / Oro Rose / Rosa	S	White Silk / Seta
SCK	White Silk / Seta Gold / Oro	SCA	White Silk / Seta Amber / Ambra	K	Gold / Oro
SC	White Silk / Seta Clear / Cristallo	CQ	Clear / Cristallo Sky Blue / Celeste		

General Specifications

CE IP20



LA0906-SCK
 Ø 20 cm - H 35 cm
 E14 1 x MAX 40W 1 KG



AP0906-1-SCK
 W 25 cm - H 40 cm - D 35 cm
 E14 1 x MAX 40W 2 KG



AP0906-2-CA
 W 40 cm - H 40 cm - D 35 cm
 E14 2 x MAX 40W 2 KG



AP0906-3-SC
 W 50 cm - H 40 cm - D 35 cm
 E14 3 x MAX 40W 3 KG



PL0906-6-SCK-MG
 Ø 70 cm - H 55 cm - R 10 cm
 E14 6 x MAX 40W 6 KG



L0906-5-CK-MG
 Ø 70 cm - H 70 cm - C 30 cm - R 10 cm
 E14 5 x MAX 40W 7 KG



L0906-5-SCK
 Ø 80 cm - H 80 cm - C 30 cm - R 12 cm
 E14 5 x MAX 40W 8 KG



L0906-6-CRK
 Ø 80 cm - H 80 cm - C 30 cm - R 12 cm
 E14 6 x MAX 40W 9 KG



AP0909-3+2-C
 W 50 cm - H 75 cm - D 30 cm
 E14 5 x MAX 40W 4 KG



L0906-3-SCA-MC
 Ø 60 cm - H 60 cm - C 30 cm - R 10 cm
 E14 3 x MAX 40W 4,5 KG



PL0909-5-K-MC
 Ø 60 cm - H 40 cm - R 10 cm
 E14 5 x MAX 40W 4,5 KG



L0909-5-D-MC
 Ø 60 cm - H 60 cm - C 30 cm - R 10 cm
 E14 5 x MAX 40W 6 KG



L0909-8-S
 Ø 100 cm - H 90 cm - C 30 cm - R 12 cm
 E14 8 x MAX 40W 12 KG



L0906-10-CK
 Ø 110 cm - H 90 cm - C 30 cm - R 14 cm
 E14 10 x MAX 40W 20 KG



L0906-12-C
 Ø 120 cm - H 90 cm - C 30 cm - R 14 cm
 E14 12 x MAX 40W 21 KG



D0909-8+4-CQ
 Ø 100 cm - H 120 cm - C 55 cm - R 14 cm
 E14 12 x MAX 40W 22 KG

Fenix

L0170-6-CKRZ
Ø 75 cm - H 80 cm
E14 6 x MAX 60W



S0170-6-CK
Ø 75 cm - H 115 cm
E14 6 x MAX 60W




L0170-6-CRK
 Ø 75 cm - H 80 cm
 E14 6 x MAX 60W



Fenix



Technical data



R Ceiling cup / Rosone
 C Chain / Catena
 H Height / Altezza
 Ø Diameter / Diametro
 D Depth / Profondità
 W Width / Larghezza

Bulb / Lampadina
 Weight / Peso
 Insulation class / Classe isolamento

Colors

CK	Clear / Cristallo Gold / Oro	CKRZ	Clear / Cristallo Gold / Oro Rose / Rosa Vitreous paste / Pasta vitrea
SCK	White Silk / Seta Gold / Oro	CRK	Clear / Cristallo Rose / Rosa Gold / Oro

General Specifications

CE IP20



AP0170-1-CK
 W 25 cm - H 40 cm - D 30 cm
 E14 1 x MAX 60W 2 KG



AP0170-2-CK
 W 35 cm - H 40 cm - D 30 cm
 E14 2 x MAX 60W 2 KG



L0170-3-CK-MC
 Ø 55 cm - H 60 cm - C 30 cm - R 10 cm
 E14 3 x MAX 60W 5 KG



L0170-5-SCK-MC
 Ø 55 cm - H 60 cm - C 30 cm - R 10 cm
 E14 5 x MAX 60W 6 KG



L0170-5-CU-MG
 Ø 65 cm - H 70 cm - C 30 cm - R 10 cm
 E14 5 x MAX 60W 7 KG



L0170-6-CKRZ
 Ø 75 cm - H 80 cm - C 30 cm - R 12 cm
 E14 6 x MAX 60W 12 KG



L0170-8-CK
 Ø 95 cm - H 90 cm - C 30 cm - R 12 cm
 E14 8 x MAX 60W 16 KG



S0170-6-CK
 Ø 75 cm - H 115 cm - C 55 cm - R 14 cm
 E14 6 x MAX 60W 9 KG

Golden Century 86

L0086-5-AK-MC
Ø 60 cm - H 60 cm - C 30 cm - R 10 cm
E14 5 x MAX 40W



PL0086-6-C
Ø 100 cm - H 60 cm - R 12 cm
E14 6 x MAX 40W



L0086-8-CK
Ø 100 cm - H 90 cm
E14 8 x MAX 40W



L0086-6-CK
Ø 80 cm - H 80 cm
E14 6 x MAX 40W




AP0086-2-CK
 W 40 cm - H 40 cm - D 30cm
 E14 2 x MAX 40W



Golden Century 86



Technical data



R Ceiling cup / Rosone
 C Chain / Catena
 H Height / Altezza
 Ø Diameter / Diametro
 D Depth / Profondità
 W Width / Larghezza

Bulb / Lampadina
 Weight / Peso
 Insulation class / Classe isolamento

Colors

C	Clear / Cristallo	CK	Clear / Cristallo Gold / Oro
CA	Clear / Cristallo Amber / Ambra	AK	Amber / Ambra Gold / Oro

General Specifications

CE IP20



LA0086-CK-2
 W 25 cm - H 30 cm - D 30 cm
 E14 1 x MAX 40W 1 KG



AP0086-1-CK
 W 25 cm - H 40 cm - D 35 cm
 E14 1 x MAX 40W 2 KG



AP0086-2-CK
 W 40 cm - H 40 cm - D 30 cm
 E14 2 x MAX 40W 2 KG



L0086-3-CK-MC
 Ø 60 cm - H 60 cm - C 30 cm - R 10 cm
 E14 3 x MAX 40W 6 KG



L0086-5-C-MG
 Ø 70 cm - H 70 cm - C 30 cm - R 10 cm
 E14 5 x MAX 40W 9 KG



L0086-6-CK
 Ø 80 cm - H 80 cm - C 30 cm - R 12 cm
 E14 6 x MAX 40W 13 KG



L0086-8-CK
 Ø 100 cm - H 90 cm - C 30 cm - R 12 cm
 E14 8 x MAX 40W 20 KG



S0086-6-CA
 Ø 90 cm - H 100 cm - C 55 cm - R 14 cm
 E14 6 x MAX 40W 15 KG

Golden Century 87


L0087-5-S-MG
 Ø 65 cm - H 70 cm - C 30 cm - R 10 cm
 E14 5 x MAX 60W



Golden Century 87



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- Bulb / Lampadina
- Weight / Peso
- Insulation class / Classe isolamento

Colors

- C Clear / Cristallo
- K Gold / Oro
- CK Clear / Cristallo Gold / Oro
- S White Silk / Seta

General Specifications

CE IP20



AP0087-1-K
 W 20 cm - H 40 cm - D 35 cm
 E14 1 x MAX 60W 2 KG



AP0087-2-K
 W 35 cm - H 40 cm - D 30 cm
 E14 2 x MAX 60W 2 KG



L0087-5-C-MC
 Ø 55 cm - H 60 cm - C 30 cm - R 10 cm
 E14 5 x MAX 60W 6 KG



L0087-6-CK
 Ø 75 cm - H 80 cm - C 30 cm - R 13 cm
 E14 6 x MAX 60W 13 KG

V-Star


L0340-5-CRK-MG
 Ø 70 cm - H 70 cm
 E14 5 x MAX 40W



V-Star



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- ⦿ Bulb / Lampadina
- ⚖ Weight / Peso
- ⊕ Insulation class / Classe isolamento

Colors

- CK Clear / Cristallo
Gold / Oro
- C Clear / Cristallo

- CRK Clear / Cristallo
Rose / Rosa
Gold / Oro

General Specifications


CE IP20



LA0340-CRK
 Ø 20 cm - H 35 cm
 E14 1 x MAX 40W 1 KG



AP0340-1-C
 W 25 cm - H 40 cm - D 40 cm
 E14 1 x MAX 40W 2 KG



AP0340-2-CRK
 W 40 cm - H 40 cm - D 30 cm
 E14 2 x MAX 40W 2 KG



L0340-5-CRK-MG
 Ø 70 cm - H 70 cm - C 30 cm - R 10 cm
 E14 5 x MAX 40W 7 KG



L0340-5-CRK-MG
 Ø 70 cm - H 70 cm - C 30 cm - R 10 cm
 E14 5 x MAX 40W 7 KG



L0340-6-CRK
 Ø 80 cm - H 80 cm - C 30 cm - R 12 cm
 E14 6 x MAX 40W 8 KG

Galliano

L0402-6-CRZ-MB
Ø 40 cm - H 60 cm
G9 6 x MAX 25W



L0402-6-CRZ-MB

Ø 40 cm - H 60 cm

G9 6 x MAX 25W

L0402-6-CAK-MB

Ø 40 cm - H 60 cm

G9 6 x MAX 25W

L0402-6-KS-MB

Ø 40 cm - H 60 cm

G9 6 x MAX 25W



L0402-6-KB-MB

Ø 40 cm - H 60 cm

G9 6 x MAX 25W

L0402-6-K-MB

Ø 40 cm - H 60 cm

G9 6 x MAX 25W

L0402-6-CMK-MB

Ø 40 cm - H 60 cm

G9 6 x MAX 25W



L0402-6-D2CK-MB

Ø 40 cm - H 60 cm


G9 6 x MAX 25W



Galliano



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- Bulb / Lampadina
- Weight / Peso
- Insulation class / Classe isolamento

Colors

- CK** Clear / Cristallo
Gold / Oro
- KB** Gold / Oro
Blue / Blu
- K** Gold / Oro
- CMK** Clear / Cristallo
Amethyst / Amethysta
Gold / Oro
- CAK** Clear / Cristallo
Amber / Ambra
Gold / Oro
- CRZ** Clear / Cristallo
Rose / Rosa
Vitreous paste / Pasta vitrea
- KS** Gold / Oro
White Silk / Seta
- D2CK** Graphite / Grafite
Clear / Cristallo
Gold / Oro

General Specifications

CE IP20



L0402-6-CK-MB
Ø 40 cm - H 60 cm - C 30 cm - R 10 cm
G9 6 x MAX 25W 5 KG



L0402-6-KB-MB
Ø 40 cm - H 60 cm - C 30 cm - R 10 cm
G9 6 x MAX 25W 5 KG



L0402-6-CAK-MB
Ø 40 cm - H 60 cm - C 30 cm - R 10 cm
G9 6 x MAX 25W 5 KG



L0402-6-CMK-MB
Ø 40 cm - H 60 cm - C 30 cm - R 10 cm
G9 6 x MAX 25W 5 KG




L0402-6-CRZ-MB
Ø 40 cm - H 60 cm - C 30 cm - R 10 cm
G9 6 x MAX 25W 5 KG



L0402-6-K-MB
Ø 40 cm - H 60 cm - C 30 cm - R 10 cm
G9 6 x MAX 25W 5 KG



L0402-6-KS-MB
Ø 40 cm - H 60 cm - C 30 cm - R 10 cm
G9 6 x MAX 25W 5 KG



L0402-6-D2CK-MB
Ø 40 cm - H 60 cm - C 30 cm - R 10 cm
G9 6 x MAX 25W 5 KG




Giudecca

SR0898-12+6-C

Ø 140 cm
H 195 cm
C 30 cm
R 12 cm

E14 18 x MAX 40W
60 kg
Clear / Cristallo

CE
IP20




SR0898-12+6-J

Ø 140 cm
H 195 cm
C 30 cm
R 12 cm

E14 18 x MAX 60W
60 kg
Black / Nero

CE
IP20



Toffee

SRM0727-10-CPZ
Ø 100 cm - H 100 cm
E14 10 x MAX 60W



APR0727-3-CPZ
Ø 50 cm - H 60 cm - D 40 cm
E14 3 x MAX 60W



AP0727-3+2-CPZ
W 40 cm - H 80 cm - D 30 cm
E14 5 x MAX 60W



SM0727-8-CPZ
Ø 100 cm - H 90 cm
E14 8 x MAX 60W



SRM0727-8-CPZ
Ø 100 cm - H 100 cm
E14 10 x MAX 60W



TOFFEE - 727

374

SM0727-12-CK
Ø 130 cm - H 95 cm
E14 12 x MAX 40W



TOFFEE - 727

375

Toffee

Technical data




Colors

CPZ Clear / Cristallo
Polychrome / Policromo
Vitreous paste / Pasta vitrea

CK Clear / Cristallo
Gold / Oro

General Specifications

CE IP20



R	Ceiling cup / Rosone
C	Chain / Catena
H	Height / Altezza
Ø	Diameter / Diametro
D	Depth / Profondità
W	Width / Larghezza
	Bulb / Lampadina
	Weight / Peso
	Insulation class / Classe isolamento



AP0727-1-CPZ
W 25 cm - H 60 cm - D 30 cm
E14 1 x MAX 60W 2 KG



AP0727-2-CPZ
W 40 cm - H 60 cm - D 25 cm
E14 2 x MAX 60W 2 KG



APR0727-2-CPZ
W 40 cm - H 60 cm - D 25 cm
E14 2 x MAX 60W 3 KG



APR0727-3-CPZ
W 50 cm - H 60 cm - D 40 cm
E14 3 x MAX 60W 4 KG



SM0727-8-CPZ
Ø 100 cm - H 90 cm - C 55 cm - R 12 cm
E14 8 x MAX 60W 18 KG



SRM0727-8-CPZ
Ø 100 cm - H 90 cm - C 55 cm - R 12 cm
E14 8 x MAX 60W 19 KG



V-SRM0727-10-CPZ
Ø 100 cm - H 100 cm - C 55 cm - R 14 cm
E14 10 x MAX 60W 20 KG



SM0727-12-CPZ
Ø 120 cm - H 95 cm - C 55 cm - R 14 cm
E14 12 x MAX 60W 23 KG



AP0727-3+2-CPZ
W 40 cm - H 80 cm - D 30 cm
E14 5 x MAX 60W 4 KG



APR0727-3+2-CPZ
W 50 cm - H 95 cm - D 35 cm
E14 5 x MAX 60W 8 KG




SM0727-6-CPZ
Ø 80 cm - H 80 cm - C 55 cm - R 12 cm
E14 6 x MAX 60W 12 KG



SRM0727-6-CPZ
Ø 80 cm - H 80 cm - C 55 cm - R 12 cm
E14 6 x MAX 60W 16 KG



SRM0727-12-CPZ
Ø 110 cm - H 115 cm - C 55 cm - R 14 cm
E14 12 x MAX 60W 34 KG



AP0727-2-CK
W 40 cm - H 60 cm - D 25 cm
E14 2 x MAX 60W 2 KG



SM0727-8-CK
Ø 100 cm - H 90 cm - C 55 cm - R 12 cm
E14 8 x MAX 60W 18 KG



SM0727-12-CK
Ø 120 cm - H 95 cm - C 55 cm - R 14 cm
E14 12 x MAX 60W 23 KG

Caesar

R0001-6-CK-MC-1
Ø 70 cm - H 75 cm
E14 6 x MAX 60W



CAESAR - R0001

378

R0001-6-CA
Ø 95 cm - H 100 cm
E14 6 x MAX 60W



CAESAR - R0001

379

R0001-9-CPZK
Ø 100 cm - H 100 cm
E14 21 x MAX 60W



APR0001-3-CPZK
W 50 cm - H 50 cm - D 40cm
E14 3 x MAX 40W



AP0001-4-C
W 70 cm - H 65 cm - D 40 cm
E14 4 x MAX 60W



AP0001-4+3-C
W 70 cm - H 100 cm - D 40 cm
E14 7 x MAX 40W



S0001-12+6-C
Ø 125 cm - H 180 cm
E14 18 x MAX 40W



R0001-12+6+3-C-ML
Ø 200 cm - H 200 cm
E14 21 x MAX 60W



CAESAR - 0001

384



CAESAR - 0001

385

RE0001-18+9+6-CK
Ø 70 cm - H 75 cm
E14 18 x MAX 40W




R0001-12-C
Ø 120 cm - H 135 cm
E14 12 x MAX 60W





Technical data



R	Ceiling cup / Rosone
C	Chain / Catena
H	Height / Altezza
Ø	Diameter / Diametro
D	Depth / Profondità
W	Width / Larghezza
Bulb / Lampadina	
Weight / Peso	
Insulation class / Classe isolamento	

Colors

CK	Clear / Cristallo Gold / Oro	CA	Clear / Cristallo Amber / Ambra
C	Clear / Cristallo	K	Gold / Oro
CKZ	Clear / Cristallo Gold / Oro Vitreous paste / Pasta vitrea	CPZK	Clear / Cristallo Polychrome / Policromo Vitreous paste / Pasta vitrea Gold / Oro

General Specifications

CE IP20



APR0001-3-CPZK
W 50 cm - H 50 cm - D 40 cm
E14 3 x MAX 40W 4 KG



APR0001-3-CK
W 50 cm - H 50 cm - D 35 cm
E14 3 x MAX 60W 4 KG



AP0001-4-C
W 70 cm - H 65 cm - D 40 cm
E14 4 x MAX 60W 5 KG



AP0001-4+3-C
W 70 cm - H 100 cm - D 40 cm
E14 7 x MAX 40W 8 KG



R0001-6-CKZ
Ø 95 cm - H 100 cm - C 55 cm - R 12 cm
E14 6 x MAX 60W 15 KG



R0001-6-K
Ø 95 cm - H 100 cm - C 55 cm - R 12 cm
E14 6 x MAX 60W 15 KG



R0001-9-CPZK
Ø 100 cm - H 100 cm
E14 21 x MAX 60W 22 KG



R0001-12-C
Ø 120 cm - H 135 cm - C 55 cm - R 14 cm
E14 12 x MAX 60W 37 KG



PR0001-5-K
Ø 60 cm - H 180 cm
E14 5 x MAX 60W 40 KG



FR0001-5-K
Ø 55 cm - H 80 cm
E14 5 x MAX 60W 15 KG



R0001-6-CK-MC-1
Ø 70 cm - H 75 cm - C 55 cm - R 10 cm
E14 6 x MAX 60W 14 KG



R0001-6-CA
Ø 95 cm - H 100 cm - C 55 cm - R 12 cm
E14 6 x MAX 60W 15 KG



S0001-12+6-C
Ø 125 cm - H 180 cm
E14 18 x MAX 40W 30 KG



R0001-12+6+3-C-ML
Ø 200 cm - H 200 cm - C 55 cm - R 12 cm
E14 21 x MAX 60W 80 KG



RE0001-18+9+6-CK
Ø 95 cm - H 100 cm - C 55 cm - R 12 cm
E14 6 x MAX 60W 15 KG

Regale

SRE0113-8+8-K
Ø 145 cm - H 100 cm - C 55 cm - R 14 cm
E14 16 x MAX 60W



SR0113-10-CK
Ø 110 cm - H 90 cm - C 55 cm - R 14 cm
E14 10 x MAX 60W



APRO113-1-CK
W 25 cm - H 40 cm - D 35 cm
E14 1 x MAX 60W



PR0113-5-CK
 Ø 70 cm - H 190 cm
 E14 5 x MAX 60W



Regale




Colors

CK Clear / Cristallo
 Gold / Oro

K Gold / Oro

Technical data



R Ceiling cup / Rosone
 C Chain / Catena
 H Height / Altezza
 Ø Diameter / Diametro
 D Depth / Profondità
 W Width / Larghezza

⦿ Bulb / Lampadina
 ⚖ Weight / Peso
 ⊕ □ Insulation class / Classe isolamento

General Specifications

CE IP20



FR0113-3-CK
 Ø 55 cm - H 80 cm
 ⦿ E14 3 x MAX 60W ⚖ 15 KG □



PR0113-5-CK
 Ø 70 cm - H 190 cm
 ⦿ E14 5 x MAX 60W ⚖ 40 KG □



APR0113-1-CK
 W 25 cm - H 40 cm - D 35 cm
 ⦿ E14 1 x MAX 60W ⚖ 3 KG ⊕ □



APR0113-2-CK
 W 40 cm - H 40 cm - D 30 cm
 ⦿ E14 2 x MAX 60W ⚖ 5 KG ⊕ □



APR0113-3-CK
 W 50 cm - H 40 cm - D 35 cm
 ⦿ E14 3 x MAX 60W ⚖ 7 KG ⊕ □



SR0113-6-CK
 Ø 110 cm - H 85 cm - C 55 cm - R 12 cm
 ⦿ E14 6 x MAX 60W ⚖ 17 KG ⊕ □



SR0113-8-CK
 Ø 110 cm - H 90 cm - C 55 cm - R 12 cm
 ⦿ E14 8 x MAX 60W ⚖ 24 KG ⊕ □



SR0113-12-K
 Ø 130 cm - H 100 cm - C 55 cm - R 14 cm
 ⦿ E14 12 x MAX 60W ⚖ 38 KG ⊕ □

Sherazade

R0737-12-CK
 Ø 145 cm - H 120 cm
 E14 12 x MAX 60W



SHERAZADE - 737


Sherazade



Colors

CK Clear / Cristallo
 Gold / Oro

Technical data



R Ceiling cup / Rosone
 C Chain / Catena
 H Height / Altezza
 Ø Diameter / Diametro
 D Depth / Profondità
 W Width / Larghezza

⦿ Bulb / Lampadina
 ⚖ Weight / Peso
 ⊕ □ Insulation class / Classe isolamento

General Specifications

CE IP20



APR0737-2-C
 Ø cm - H cm
 ⦿ E14 1 x MAX 60W ⚖ 15 KG □



FR0737-3+1-CK
 Ø 55 cm - H 80 cm
 ⦿ E14 4 x MAX 60W ⚖ 15 KG □



APR0737-3-CK
 W 60 cm - H 50 cm - D 40 cm
 ⦿ E14 3 x MAX 60W ⚖ 4 KG ⊕ □



APR0737-3+2-CK
 W 55 cm - H 85 cm - D 40 cm
 ⦿ E14 5 x MAX 60W ⚖ 8 KG ⊕ □



R0737-12-CK
 Ø 145 cm - H 120 cm - C 55 cm - R 14 cm
 ⦿ E14 12 x MAX 60W ⚖ 50 KG ⊕ □

Kia Ora

RE0725-6+3+3-CUPZ

Ø 100 cm - H 115 cm

E14 12 x MAX 60W




Kia Ora



Colors

CUPZ
Clear / Cristallo
Ruby / Rubino
Polychrome / Policromo
Vitreous paste / Pasta vitrea

Technical data



R Ceiling cup / Rosone
C Chain / Catena
H Height / Altezza
Ø Diameter / Diametro
D Depth / Profondità
W Width / Larghezza


☞ Bulb / Lampadina
⚖ Weight / Peso
⚡ Insulation class / Classe isolamento

General Specifications

CE IP20



FR0725-3-CUPZ
Ø 55 cm - H 80 cm
☞ E14 3 x MAX 60W ⚖ 15 KG




P0725-5-CUPZ
Ø 60 cm - H 180 cm
☞ E14 5 x MAX 60W ⚖ 40 KG



APR0725-2-CUPZ
W 45 cm - H 50 cm - D 30 cm
☞ E14 2 x MAX 60W ⚖ 4 KG



SR0725-5-CUPZ-MC
W 70 cm - H 60 cm - D 70 cm
☞ E14 5 x MAX 40W ⚖ 5 KG



L0402-6-CRZ-MB
Ø 40 cm - H 60 cm - C 30 cm - R 10 cm
☞ G9 6 x MAX 25W ⚖ 5 KG



RE0725-6+3+3-CUPZ
Ø 100 cm - H 115 cm - C 55 cm - R 12 cm
☞ E14 12 x MAX 60W ⚖ 30 KG

Nabucco

R0739-16+8+8-CKWZ
Ø 160 cm - H 200 cm
E14 32 x MAX 40W



R0739-6-CKWZ
 Ø 95 cm - H 110 cm
 E14 6 x MAX 60W




Nabucco



Colors

CKWZ Clear / Cristallo
 Gold / Oro
 White / Bianco
 Vitreous paste / Pasta vitrea

Technical data



R Ceiling cup / Rosone
 C Chain / Catena
 H Height / Altezza
 Ø Diameter / Diametro
 P Depth / Profondità
 L Width / Larghezza

Bulb / Lampadina
 Weight / Peso
 Insulation class / Classe isolamento

General Specifications

CE IP20



PR0739-6+3-CKWZ
 Ø 80 cm - H 200 cm
 E14 9 x MAX 60W 50 KG



APR0739-3+2-CKWZ
 W 50 cm - H 70 cm - D 35 cm
 E14 5 x MAX 60W 8 KG



R0739-6-CKWZ
 Ø 95 cm - H 110 cm - C 55 cm - R 12 cm
 E14 6 x MAX 60W 22 KG



R0739-16+8+8-CKWZ
 Ø 160 cm - H 200 cm - C 55 cm - R 14 cm
 E14 32 x MAX 40W 90 KG

Villa Borghese

R0746-9-CPZ

W 120 cm
H 120 cm
D 120 cm
C 55 cm
R 14 cm

E14 9 x MAX 60 W
30 kg
CPZ clear / cristallo
polychrome / policromo
vitreous paste / pasta vitrea





CE
IP20





RB0746-10-CK

W 160 cm
H 175 cm
D 120 cm
C 55 cm
R 14 cm



 **E14** 10 x MAX 60 W
 50 kg
 Clear / Cristallo
 Gold / Oro

CE
IP20




RB0746-8-C

W 140 cm
H 110 cm
D 100 cm
C 55 cm
R 14 cm

 **E14** 8 x MAX 60 W
 20 kg
 clear / cristallo

CE
IP20



Villa Medici

RB0738-12+6-CK
 W 180 cm - H 135 cm - D 125 cm
 E14 18 x MAX 60W



Villa Medici



Colors

CK Clear / Cristallo
 Gold / Oro

C Clear / Cristallo

Technical data



R Ceiling cup / Rosone
 C Chain / Catena
 H Height / Altezza
 Ø Diameter / Diametro
 D Depth / Profondità
 W Width / Larghezza

⦿ Bulb / Lampadina
 ⚖ Weight / Peso
 ⊕ □ Insulation class / Classe isolamento

General Specifications


CE IP20



APR0738-2+1-C
 W 45 cm - H 85 cm - D 30 cm
 ⦿ E14 3 x MAX 60W ⚖ 6 KG



APR0738-3+2-CK
 W 50 cm - H 90 cm - D 40 cm
 ⦿ E14 5 x MAX 60W ⚖ 9 KG



RB0738-10-C
 W 160 cm - H 110 cm - D 110 cm - C 55 cm - R 14 cm
 ⦿ E14 10 x MAX 60W ⚖ 35 KG



RB0738-12+6-CK
 W 180 cm - H 135 cm - D 125 cm - C 55 cm - R 14 cm
 ⦿ E14 18 x MAX 60W ⚖ 50 KG

Villa Doria

SRE0757-12+6+6-CK
Ø 190 cm - H 190 cm
E14 12+6+6 x MAX 40W



SR0757-12+6+3-CK
 Ø 180 cm - H 200 cm
 E14 21 x MAX 40W




Villa Doria



Colors



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- ⦿ Bulb / Lampadina
- ⚖ Weight / Peso
- ⊕ Insulation class / Classe isolamento

General Specifications

CE IP20



SR0757-12+6-CK
 Ø 160 cm - H 180 cm
 ⦿ E14 18 x MAX 40W ⚖ 60 KG



SR0757-12+6+3-CK
 Ø 180 cm - H 200 cm
 ⦿ E14 21 x MAX 40W ⚖ 70 KG



SRE0757-10+5+5-CK
 Ø 180 cm - H 180 cm
 ⦿ E14 20 x MAX 40W ⚖ 80 KG



SRE0757-12+6+6-CK
 Ø 190 cm - H 190 cm
 ⦿ E14 24 x MAX 40W ⚖ 95 KG

Rosae Rosarum

SE0251-6-M2GRZ
Ø 90 cm - H 95 cm
E14 6 x MAX 60W



SE0251-6+3-M2GRZ-1
Ø 95 cm - H 120 cm
E14 9 x MAX 40W

SE0251-6+3-CKRZ
 Ø 95 cm - H 120 cm
 E14 9 x MAX 40W



Rosae Rosarum




Colors

CKRZ Clear / Cristallo
 Gold / Oro
 Rose / Rosa
 Vitreous paste / Pasta vitrea

M2 Aubergine / Melanzana

Technical data



R Ceiling cup / Rosone
 C Chain / Catena
 H Height / Altezza
 Ø Diameter / Diametro
 D Depth / Profondità
 W Width / Larghezza

Bulb / Lampadina
 Weight / Peso
 Insulation class / Classe isolamento

General Specifications

CE IP20



LMP0251-M2GRZ
 Ø 40 cm - H 65 cm
 E27 1 x MAX 40W 2 KG



SE0251-6-M2GRZ
 Ø 90 cm - H 95 cm - C 30 cm - R 12 cm
 E14 6 x MAX 40W 17 KG



SE0251-6+3-M2GRZ-1
 Ø 100 cm - H 120 cm - C 30 cm - R 14 cm
 E14 9 x MAX 40W 24,5 KG






SE0251-6+3-CKRZ
 Ø 95 cm - H 120 cm - C 30 cm - R 14 cm
 E14 9 x MAX 40W 25 KG



Girasole

S0271-6-CPZ

Ø 95 cm
H 110 cm
C 30 cm
R 14 cm

 E14 6 x MAX 40W
 18 kg
 clear / cristallo
polychrome / policromo
vitreous paste / pasta vitrea

CE
IP20





Iris

L0267-6-CKWZ
Ø 90 cm - H 80 cm
E14 6 x MAX 40W



S0267-6-CKRZ
Ø 90 cm - H 100 cm
E14 6 x MAX 40W




PLO267-8-CAYZ
 Ø 95 cm - H 65 cm
 E14 8 x MAX 40W



Iris



Technical data



- R Ceiling cup / Rosone
- C Chain / Catena
- H Height / Altezza
- Ø Diameter / Diametro
- D Depth / Profondità
- W Width / Larghezza

- ☞ Bulb / Lampadina
- ⚖ Weight / Peso
- ⊕ □ Insulation class / Classe isolamento

Colors

CAYZ Clear / Cristallo
 Amber / Ambra
 Yellow / Giallo
 Vitreous paste / Pasta vitrea

CKRZ Clear / Cristallo
 Gold / Oro
 Rose / Rosa
 Vitreous paste / Pasta vitrea

CKWZ Clear / Cristallo
 Gold / Oro
 White / Bianco
 Vitreous paste / Pasta vitrea

General Specifications


CE IP20



L0267-5-FKW-MG
 Ø 70 cm - H 75 cm - C 30 cm - R 12 cm
 ☞ E14 5 x MAX 40W ⚖ 8,5 KG ⊕



L0267-6-CKWZ
 Ø 90 cm - H 80 cm - C 30 cm - R 12 cm
 ☞ E14 6 x MAX 40W ⚖ 13 KG ⊕



S0267-6-CKRZ
 Ø 90 cm - H 100 cm - C 30 cm - R 14 cm
 ☞ E14 6 x MAX 40W ⚖ 16 KG ⊕



PLO267-8-CAYZ
 Ø 95 cm - H 65 cm
 ☞ E14 8 x MAX 40W ⚖ 23 KG ⊕



PORTFOLIO

LATEST REFERENCES





London / UK
PRIVATE VILLA
Chimera, Edgar and Swing 275 Murano chandelier





St Petersburg / Russia
LUXURY FLAT - LA DOLCE VITA

Absolute, Tresor, Planet, Atmospha e Tresor in collaboration with (DZ)M Design





London / UK
CAFÉ ROYAL
Custom chandeliers





L'Aia/ Netherlands
WATERREUS
Oxi lamps by Barzileye Design





Wien/ Austria
HOTEL DAS TYROL
Absolute Murano chandeliers





Rimini/ Italy
TEATRO GALLI
Custom fixtures







Franciacorta/ Italy
VILLA PRIVATA
Rezzonico Murano chandeliers







Montello/ Italy
GIUSTI WINE
Rezzonico Murano chandeliers






Limassol / Cyprus
FOUR SEASONS HOTEL
Custom Hidyscus Murano chandelier





Denver / USA
COUNTRY CLUB
Custom Metropole Murano chandelier





Warsaw / Poland
RAFFLES EUROPEJSKI
Nabucco Rezzonico Murano chandeliers





Sanremo / Italy
HOTEL MIRAMARE PALACE
Caesar Murano chandeliers and wall lights







Moscow / Russia
RISTORANTE CENTRALE
Custom Murano chandelier and wall lights






Firenze / Italy
THE MOON HOTEL
Custom Murano and Crystal chandeliers







Treviso / Italy
PRIVATE HOUSE
Custom Crystal Dream lamps





Saint Petersburg / Russia
PRIVATE FLAT

Chapeau Murano chandelier and wall lights and custom mirror





Roma / Italy
BOUTIQUE HOTEL
Custom Impero crystal chandelier




Limassol / Cyprus
EXCLUSIVE OFFICES
Copper Charleston ceiling lamps



Milan / Italy
PRIVATE HOUSE

Absolute chandelier, bespoke Murano chandelier and wall lights







Pordenone / Italy
OPIUM CLUB

Genesis crystal suspensions and floor lamp. Orion custom lighting.





Crotone / Italy
TEATHER

Custom Murano chandeliers in white glass



Cannes / France
HOTEL BARRIERE LE MAJESTIC

Custom crystal chandeliers and wall lights



Paris / France
PRIVATE PALACE

Custom "Crystal Dream" chandeliers and wall lights



Milan / Italy
PRIVATE HOUSE

Fluge and Metropole custom chandelier



Bergamo / Italy
ST. ANDREA CHURCH

Big classic rezzonico Murano chandelier

Asti / Italy
MAZZETTI PALACE


Big classic rezzonico Murano chandelier





**WORK
IN
PROGRESS**




























COLOURS AND FINISHES

COLOURS




STANDARD FRAME FINISH




Symbols / Simbologia

CE The "CE" mark required by the European Community with the 93/98/CEE directive states that the luminaire complies with the European technical requirements.
La marcatura "CE" voluta dalla Comunità Europea con direttiva 93/98/CEE attesta la conformità dell'apparecchio ai requisiti richiesti delle norme tecniche.

IP Degree of protection provided against intrusion (body parts such as hands and fingers), dust, accidental contact, and water by mechanical casings and electrical enclosures.
The enclosure of this luminaire IP20 is protected against solid objects up to than 12 mm, no special protection provided against penetration of water.
Livello di protezione dal contatto con il corpo umano o con oggetti (prima cifra del codice), e la protezione dal contatto con l'acqua.
Apparecchi IP20 sono dotati di involucro protetto dalla penetrazione di corpi solidi superiori a 12 mm e non protetto dalla penetrazione di liquidi.







 Luminaire in which protection against electric shock does not rely on basic insulation only, but which are provided for the connection of accessible conductive parts to protective conductor in the fixed wiring of the installation.
Apparecchio nel quale la protezione contro la scossa elettrica si basa oltre che dall'isolamento principale anche dalla connessione delle parti conduttrici accessibili ad un conduttore di protezione dell'impianto elettrico fisso.

 The protection against electrical shocks of this luminaire is achieved by simple insulation and some other devices such as double insulation or reinforced insulation. There is no earth cable provided.
Apparecchio dotato di protezione contro la scossa elettrica basata sull'isolamento fondamentale e su misure supplementari quali il doppio isolamento rinforzato.

Energy Label / Etichetta Energetica



Legenda

R	Ceiling cup / Rosone
C	Chain / Catena
H	Height / Altezza
∅	Diameter / Diametro
D	Depth / Profondità
W	Width / Larghezza
	Bulb / Lampadina
	Weight / Peso
	Insulation class / Classe isolamento
	Frame Finishes / Finitura metallica
	Glass color / Colore vetro
	Shade color / Colore paralume
MB	BABY extra extra small
MC	MICRO extra small
MG	MIGNON small
ML	LARGE large
MN	MAGNUM extra large

While maintaining the basic characteristic of the product, MULTIFORME® reserves the right to make modification at any time with the sole aim of improvement.
Ferme restando le caratteristiche basilari del prodotto, MULTIFORME® si riserva di apportare modifiche in ogni momento al solo scopo migliorativo.

MULTIFORME

MADE IN ITALY

MULTIFORME® sas di Zorzi Renata & C.

Via Montello Il Tronco, 19,
35010 Trebaseleghe (PD)
VAT IT04349890287
Ph +39 049 9387669
Mob +39 333 7570441
Fax +39 041 3965706
sales@multiforme.eu
www.multiforme.eu

CATALOGUE by MULTIFORME® communication team

Industrial and Intellectual Property rights

All the designs, brands, trademarks, domain names, the pictures and contents of this catalogue are exclusively owned by MULTIFORME® and are protected by the relevant provisions of Industrial and Intellectual Property Law. Their unauthorized reproduction even partial, modification, publication and any other use are strictly prohibited.

Diritti di proprietà industriale e intellettuale

I modelli, i nomi commerciali, i marchi, nomi a dominio, le fotografie ed i testi presenti in questo catalogo sono di esclusiva proprietà di MULTIFORME® e protetti secondo le norme a tutela dei diritti di Proprietà Industriale ed intellettuale. Qualsiasi loro riproduzione anche parziale, modifica, pubblicazione o altra forma di utilizzo, se non espressamente autorizzata da MULTIFORME® è vietata.

