

URBAN[®]
L I G H T I N G


LINEA

design by
_blank design studio & Gerardo Mari






LINEA WALL-WALL




URBAN[®]
LIGHTING

LINEA

Wall-wall assembly




URBAN[®]
LIGHTING









LINEA WALL-WALL *terminal connection*




LINEA WALL-WALL *terminal connection*



LINEA WALL-WALL *silicon diffuser*





harmonic steel strip support + strip led 48V custom



mounting silicon diffuser

LINEA WALL-WALL *dimensions / light source*




LIGHT SOURCE

1 m.	LED 20W	48V	2700°K / 1700 Lumen 3000°K / 1900 Lumen	CRI 90 CRI 90	6 m.	LED 120W	48V	2700°K / 10200 Lumen 3000°K / 11400 Lumen	CRI 90 CRI 90
2 m.	LED 40W	48V	2700°K / 3400 Lumen 3000°K / 3800 Lumen	CRI 90 CRI 90	7 m.	LED 140W	48V	2700°K / 11900 Lumen 3000°K / 13300 Lumen	CRI 90 CRI 90
3 m.	LED 60W	48V	2700°K / 5100 Lumen 3000°K / 5700 Lumen	CRI 90 CRI 90	8 m.	LED 160W	48V	2700°K / 13600 Lumen 3000°K / 15200 Lumen	CRI 90 CRI 90
4 m.	LED 80W	48V	2700°K / 6800 Lumen 3000°K / 7600 Lumen	CRI 90 CRI 90	9 m.	LED 180W	48V	2700°K / 15300 Lumen 3000°K / 17100 Lumen	CRI 90 CRI 90
5 m.	LED 100W	48V	2700°K / 8500 Lumen 3000°K / 9500 Lumen	CRI 90 CRI 90	10 m.	LED 200W	48V	2700°K / 17000 Lumen 3000°K / 19000 Lumen	CRI 90 CRI 90


LINEA WALL-WALL *on-board driver options*



Case D



Case E



LINEA WALL-WALL *remote driver options*





Case A



Case B




Case C




LINEA SYSTEM

WALL-WALL VERSION




CEILING VERSION







LINEA SURFACE MOUNTING








LINEA

surface mounting




wall / ceiling support


LINEA SURFACE MOUNTING




LINEA SURFACE MOUNTING



LINEA SURFACE MOUNTING




LINEA SURFACE MOUNTING




LINEA SURFACE MOUNTING


project




LINEA SURFACE MOUNTING



LINEA SURFACE MOUNTING




LINEA SURFACE MOUNTING *dimensions / light source*




LIGHT SOURCE

1 m.	LED 20W	48V	2700°K / 1700 Lumen	CRI 90	6 m.	LED 120W	48V	2700°K / 10200 Lumen	CRI 90
			3000°K / 1900 Lumen	CRI 90				3000°K / 11400 Lumen	CRI 90
2 m.	LED 40W	48V	2700°K / 3400 Lumen	CRI 90	7 m.	LED 140W	48V	2700°K / 11900 Lumen	CRI 90
			3000°K / 3800 Lumen	CRI 90				3000°K / 13300 Lumen	CRI 90
3 m.	LED 60W	48V	2700°K / 5100 Lumen	CRI 90	8 m.	LED 160W	48V	2700°K / 13600 Lumen	CRI 90
			3000°K / 5700 Lumen	CRI 90				3000°K / 15200 Lumen	CRI 90
4 m.	LED 80W	48V	2700°K / 6800 Lumen	CRI 90	9 m.	LED 180W	48V	2700°K / 15300 Lumen	CRI 90
			3000°K / 7600 Lumen	CRI 90				3000°K / 17100 Lumen	CRI 90
5 m.	LED 100W	48V	2700°K / 8500 Lumen	CRI 90	10 m.	LED 200W	48V	2700°K / 17000 Lumen	CRI 90
			3000°K / 9500 Lumen	CRI 90				3000°K / 19000 Lumen	CRI 90



LINEA SURFACE MOUNTING *driver options*




Case F




remote driver



Case G



on-board driver






LINEA VERTICAL SUSPENSION

LINEA VERTICAL SUSPENSION



max height = 3 m

3 m. LED 60W 48V
2700°K / 5100 Lumen CRI 90
3000°K / 5700 Lumen CRI 90











LINEA HORIZONTAL SUSPENSION




LINEA HORIZONTAL SUSPENSION *system modules*



S2




S1




S3


LINEA HORIZONTAL SUSPENSION *system modules*




LINEA HORIZONTAL SUSPENSION *system modules*




remote driver




on-board driver



LINEA HORIZONTAL SUSPENSION *system modules*




LINEA HORIZONTAL SUSPENSION *system modules*



MODULE S1 120 cm + MODULE S1 120 cm

LINEA HORIZONTAL SUSPENSION *system modules*




S1


S1

MODULE S1 120 cm + MODULE S1 120 cm

LINEA HORIZONTAL SUSPENSION *system modules*




LINEA HORIZONTAL SUSPENSION *system modules*




MODULE S1 120 cm + MODULE S1 120 cm

silicon diffuser

LINEA HORIZONTAL SUSPENSION *system modules*




LINEA HORIZONTAL SUSPENSION *system modules*




LINEA HORIZONTAL SUSPENSION *system modules*

MODULO 120 DRITTO + MODULO CURVA 90° / 180°




LINEA HORIZONTAL SUSPENSION *system modules*


MODULO 120 DRITTO + MODULO CURVA 90° / 180°




LINEA HORIZONTAL SUSPENSION *system modules*



remote driver




on-board driver




LINEA HORIZONTAL SUSPENSION *system modules*


project



LINEA HORIZONTAL SUSPENSION *system modules*



LINEA HORIZONTAL SUSPENSION *system modules*



LINEA *colors*



- Brushed aluminium / Alluminio spazzolato / Gebürstetes Aluminium / Aluminio cepillado /
- Black / Nero / Schwarz / Negro /
- Sand / Sabbia / Sandfarben / Arena /

THANK YOU

URBAN[®]
L I G H T I N G